



PERSONAL PROTECTIVE EQUIPMENT #02

**#READY
FOR WORK**



CONTENTS

4 - 5	Head protection
6 - 7	Hearing protection
8 - 9	Eye protection
10 - 11	Respiratory protection
13 - 17	Hand protection
18 - 21	Footwear
22 - 25	Workwear
26 - 27	Vehicle Protection
28 - 30	Welding
31	Fall Protection
32 - 33	First Aid
34 - 35	Hygiene



YOUR SAFETY IS OUR PRIORITY.

Many operations or activities expose your employees to the risk of accidents or damage to health. Companies must perform a risk assessment for every type of workstation, regardless of the size of the firm. Risk assessment should in particular take into account the nature and extent, duration and probability of risk to employees; working conditions and personal constitution should also receive due consideration.

The selection of appropriate personal protective equipment (PPE) is essential to afford your employees the best possible protection. As your expert partner, we will provide you with our Würth protective equipment will also discuss prevention measures and solution approaches with you.



HEAD PROTECTION



Short helmet peak for unobstructed upwards view



Adjustable dial



6-point fabric lining



30mm pockets for hearing protection attachment



Neck protector extended downwards



HARD HAT SH 2000-S

Comfortable hard hat with internal dial adjustment

Art No. 0899200243




Ventilation holes



Circumferential rain groove



Circumferential sweatband



Quick release closure



HARD HAT SH-6

6 point, yellow

Art No. 089920070



STANDARD VISOR
Art No. 0899200237



EAR DEFENDERS
Art No. 0899200259



HELMET ADAPTER
Art No. 0899200297



CHIN STRAP, 4-POINT
Art No. 0899200248



Short helmet peak for unobstructed upwards view



Adjustable dial



6-point textile suspension harness



Compatible with visors and ear defenders



Magnetic fastenings make it possible to detach the visor without having to remove the whole apparatus



Neck protector extended downwards



VISOR SLB 1
Art No. 0899200238



VISOR SLB 2
Art No. 0899200239


ELECTRICIAN'S HELMET SH-E 2000-S

Comfortable electrician's hard hat with internal dial adjustment

Art No. 0899200243



Adjustable pin-lock for height adjustment and ratchet locking system



Multiple visor inclination adjustment settings



Soft padding on all parts with head contact



Individual head strap adjustment



Large resistant polycarbonate visor with wide field of view



Spherical polycarbonate visor which can be flip-up repositioned



PROTECTIVE FILM
Art No. 0899101204

FACE SHIELD PRO GUARD

Full face shield to reduce the risk of face and forehead injuries

Art No. 0899101225

FACE SHIELD

Perfect protection WITH SPECIAL GEOMETRY FROM UPPER HEAD TO CHIN

Art No. 0899101202

HEARING PROTECTION



Imprinted X shape provides soft and optimum adjustment to the ear canal & quick and simple to insert & remove correctly



SNR ATTENUATION VALUE - 37DB

SNR ATTENUATION VALUE - 37DB

EAR PLUGS X-100, 100 PCS

Art No. 0899300342


CORDED EAR PLUGS X-100, 100 PCS

With safety cord

Art No. 0899300332



Soft fins - comfortable to wear



Oval plugs perfectly close up the ear canal.



SNR ATTENUATION VALUE - 27DB

SNR ATTENUATION VALUE - 24DB

FILLS UP TO 400 PAIRS

CORDED EAR PLUGS

Art No. 0899300410

EAR PLUG BAND X-300

Foldable earmuff, sock resistant, durable

Art No. 0899300339

WALL MOUNTED EAR PLUG DISPENSE

Grid rotation system prevents multiple plugs from falling out

Catch shelf prevents the plugs from falling to the floor

Art No. 0899300335



Slide and swivel cup enhances comfort and fit


Soft foam ear cushions for comfort and secure fitting

**SNR ATTENUATION
VALUE - 31.3DB**


EAR DEFENDER A812

Foldable earmuff, sock resistant, durable

Art No. 0899300361




Reflective lettering on the headband



Height adjustment of straps



Padded headband and soft sealing cushions



Fluorescent capsules - excellent visibility

IDEAL FOR NOISE AREAS UP TO 111 DB

EAR DEFENDERS WNA 200/F

Art No. 0899300430



Padded headband and soft sealing cushions

Height adjustment of straps

**IDEAL FOR NOISE
AREAS UP TO 106 DB**

EAR DEFENDERS WNA 100

Art No. 0899300400



Padded headband and soft sealing cushions

Height adjustment of straps

**IDEAL FOR NOISE
AREAS UP TO 112DB**

EAR DEFENDERS WNA 200

Art No. 0899300410



Padded headband and soft sealing cushions

Height adjustment of straps

**IDEAL FOR NOISE
AREAS UP TO 116 DB**

EAR DEFENDERS WNA 300

Art No. 0899300420

EYE PROTECTION



Adjustable head strap for a perfect fit



Scratch-resistant & permanent anti-fog coating, 100% UV protection (up to 400 nm)

FULL-VISION GOGGLES WEGA®

Slim design and lightweight (46 g)

Perfect fit and very comfortable to wear thanks to flexible soft components

Adapts to the shape of the wearer's face

Ideal for combining with hard hats and breathing masks

Art No. 0899102116



Adjustable head strap for a perfect fit



Panoramic lens guarantees peripheral vision



FACE GUARD
Art No. 0899102421



FULL-VISION GOGGLES FS 2020-01

Can be worn over prescription glasses and in combination with breathing protection

Indirect ventilation system guarantees protection against drops and splashes inside

Extremely scratch-resistant on the outside and permanently mist-free on the inside due to the high-quality coating of the lens

Art No. 0899102420



Adjustable head strap for a perfect fit

Panoramic lens guarantees peripheral vision



FULL-VISION GOGGLES WITH SUPPLE FRAME

SAFETY GOGGLES CASTOR

- Indirect ventilation system guarantees protection against drops and splashes inside
- Can be worn over prescription glasses and in combination with breathing masks
- High impact-resistant polycarbonate lens

Art No. 0899107016



Art. No.	Version
0899103120	Clear
0899103121	Tinted
0899103122	Yellow
0899103123	Brown

SAFETY GLASSES

Scratch & impact resistant lens with Anti-Fog coating & 99% UV protection

PC SAFETY GOGGLES

Can be worn over all prescription glasses
 Colour of safety lens: Clear
 Material of safety lens: Polycarbonate
 UV protection: 380 nm
 EN standard: 166
 Mechanical strength: F (45m/s)


Art No. 0899102232



Art. No.	Version
0899103110	Clear
0899103111	Tinted
0899103112	Yellow
0899103113	Brown

SAFETY GLASSES PREMIUM

Scratch & impact resistant lens with Anti-Fog coating & 99% UV protection



Innovative frame technology for maximum protection and comfort



SAFETY GOGGLES ERGO TOP

Material of safety lens: Polycarbonate
 UV protection: 385 nm
 EN standard: 166
 Mechanical strength: F (45m/s)
 Marking of safety lens: 2C-1,2 W 1 FT

Art No. 0899102002



Adjustable nose bridge - non-slip rubber



SAFETY GLASSES ASKELLA

Material of safety lens: Polycarbonate
 UV protection: 380 nm
 EN standard: 166, 170
 Mechanical strength: F (45m/s)
 Marking of safety lens: 2C-1,2 W 1 FT

Art No. 0899103170

RESPIRATORY PROTECTION



Moulded cup
for perfect fit



Double bayonet
mount



Quick-action
closure at the
neck

HALF FACE MASK HM 175

Low breathing resistance

Art No. 0899175000



GAS FILTER ABEK1

Art No. 0899175012



GAS FILTER A2

Art No. 0899175010



**COMBINATION FILTER
A2P3 RD**

Art No. 0899175011



**COMBINATION FILTER
ABEK1HGP3 RD**

Art No. 0899175013



**PARTICLE
PRE-FILTER PAD P2 R**

Art No. 0899175014



PRE-FILTER HOLDER

Art No. 0899175015



**PARTICULATE
FILTER P3 R**

Art No. 0899175016



Nosepiece for a better grip



Exhalation valve



Pre-moulded design for optimum fit

CUP-SHAPED MASK CM 3000 V FFP1 NR D

- Indirect ventilation system guarantees protection against drops and splashes inside
- Can be worn over prescription glasses and in combination with breathing masks
- High impact-resistant polycarbonate lens

Art No. 0899110501



Scope of delivery:

- 1 x Half face mask HM 175
- 2 x Combination filter A2P3 RD



PAINTER'S SET

- Practical quick-action closure allows you to protect the inside of the mask from dirt when not wearing
- Filter against gases, vapours, fine dust and particles that occur during painting

Art No. 0899175020

HAND PROTECTION



PROFESSIONAL GLOVE

Art. No	0899400749
Size	9
Material	Elasticated polyester fabric/ Neoprene
Standards	EN 388, EN 420
Category	II
Application	For light to medium-duty mechanical tasks
Specification	Integrated magnet on the back of the hand to attach small tools and fastening materials. Robust protectors on the back of the hand and fingers Shock-absorbing inserts in the palm



Additional reinforcement in the crook of the thumb

CUT PROTECTION GLOVE W-500 LEVEL F


Art. No	0899403909
Size	9
Gauge	13
Material of the liner	HDPE/steel/basalt/polyester/elastane
Material of coating	Nitrile foam
Standards	EN 388, EN 420
Category	II
Application	For work involving maximum cut protection, abrasion resistance and puncture resistance requirements when handling glass and in metalworking, automotive, recycling and maintenance applications.
Specification	Outstanding mechanical resistance in terms of cut and abrasion resistance Resistant against grease and oils Good puncture resistance against metal chips

Glove Sizing Guide

To determine the right glove size, you need to take two different measurements:

a) Measure lengthwise: From the tip of the middle finger to the base of your hand.

b) Measure around: Wrap a fabric tape measure around the widest part of your hand just below the knuckles.



Hand size	Hand length (mm)	Hand circumference (mm)
6	160	152
7	171	178
8	182	203
9	192	229
10	204	254
11	215	279
12	>215	304



PROFESSIONAL GLOVE, CUT SPECIAL

PROTECTIVE GLOVE FLEXTON

Art. No	08994012XX	0899400330
Size	8 - 11	8
Material	Elasticated polyester fabric/ Neoprene	Polyurethane / Nylon
Standards	EN 388, EN 420	EN 388, EN 420
Category	II	II
Application	Applications with high cut protection and abrasion resistance requirements	Fine, precise work, for light assembly work, electrical and electronics assembly, household appliance technology, automotive and vehicle parts production, painting and decorating, interior fitting. Lightweight, breathable fine assembly glove
Specification	Special cut protection fibres around the palm surfaces Specific reinforcements at areas placed under strain Robust protectors on the back of the hand and fingers Palm of hand has abrasion-proof and anti-slip trims	Excellent flexibility



PROTECTIVE GLOVE BLACK MECHANIC

PROTECTIVE GLOVE CONSTRUCT

Art. No	08994050XX	0899404318
Size	8 - 10	8
Gauge	13	7
Material of the liner	Nylon	65% polyester & 35% cotton
Material of coating	Natural rubber with crinkle finish	Red dots, 100% PVC
Standards	EN 388	EN 420
Category	II	I
Application	All activities that require a good wet grip and tactile properties Light to medium assembly and workshop operations	Basic working glove for light warehouse work, transportation, glass/ceramic industry (Handling large panes or dry metal).
Specification	Universal glove with good mechanical resistance and special surface texturing for excellent dry and wet grip	Good grip performance Dots on the palm Good wearing comfort & fit



ASSEMBLY GLOVE SOFT

TOP ALL-COWHIDE LEATHER GLOVE

COARSE-KNIT GLOVE UNIVERSAL

Art. No	089940073X	0899402	0899400108
Size	8 - 9	10	8
Gauge	18		7
Material of the liner	Polyamide	Cotton half-lining.	Acrylic/polyester
Material of coating	Polyurethane	Full-grain cowhide.& heavy cotton fabric.	PVC dots
Standards	EN 388, EN 420	EN 388	EN 388, EN 420
Category	II		II
Application	Ideal for fine assembly, precision work, electrical installation, inspection work, product protection gloves,, maintenance work	Metalworking. Bodywork., Transport industry., Wood processing. Repair, assembly and maintenance work.	Rugged round-knit glove for dry working areas
Specification	Extremely lightweight and flexible glove with superior dexterity and fingertip sensitivity	Good flexibility and grip. Backs of hands elasticated for more safety. Double-stitched throughout.	Seamless round-knit glove made of polyester/synthetic yarn Good flexibility and fit Non-slip, vinyl dot coating



MECHANIC'S GLOVE

PROTECTIVE GLOVE MULTIFIT LATEX

WINTER GLOVE COMFORT

Art. No	08994005XX	0899405109	0899401068
Size	8 - 9	9	10
Gauge	15	15	15
Material of the liner	Polyamide	Polyamide/elastane	Polyamide/acrylic-wool
Material of coating	Natural rubber with crinkle finish	Latex foam	Natural rubber with crinkle finish
Standards	EN 388, EN 420	EN 388, EN 420	EN 388, EN 511, EN 420
Category	II	II	II
Application	Universal glove with good mechanical resistance and special surface texturing for excellent dry and wet griplight to medium assembly and workshop operations	For light to medium mechanical stress Warehouse, picking and assembly work Repair and maintenance work	For outdoor work in cold temperatures, Construction industry, tasks in refrigerated and normal warehouses
Specification	Outstanding flexibility for fine assembly work Good mechanical resistance Special surface texturing for outstanding wet and dry grip	Good dry and wet grip properties Micro-porous, foamed natural latex coating on palm Seamless polyamide/elastane backing fabric	Open backs for excellent breathability Fine surface texture for outstanding wet and dry grip



TIGERFLEX PLUS NITRILE

TIGERFLEX W-230 LEVEL C

TIGERFLEX HI-LITE

Art. No	089941101X	089945135X	089940308X
Size	8 - 9	8 - 9	8 - 9
Gauge	15	13	15
Material of the liner	Nylon	HPPE	Polyester/spandex
Material of coating	Nitrile foam	Nitrile foam	Nitrile foam
Standards	EN 388, EN 420	EN 388, EN 420	EN 388, EN 420
Category	II	II	II
Application	For light to medium work requiring a good grip and a high degree of flexibility	Suitable for precision work in dry conditions with high cut protection requirements	Light to medium work requiring a good grip and a high degree of flexibility:
Specification	<p>Skin-friendly and soft, seamless, round-knit fabric with a snug fit</p> <p>Breathable Tigerflex coating made of nitrile foam</p>	<p>Nitrile foam-coated palms with additional nitrile "Tiger" grip</p> <p>Breathable, good grip, comfortable to wear</p> <p>Optimal fit and outstanding tactile and touch sensitivity</p>	<p>Nitrile-foam-coated palms with additional nitrile Tiger grip</p> <p>Breathable & Comfortable</p> <p>Soft fabric and close fit ensure excellent grip and outstanding dexterity</p>



NITRILE DISPOSABLE GLOVES, BLACK, 100 PCS



DISPOSABLE NITRILE GRIP GLOVE, ORANGE, 50 PCS

Art. No	089947039X	089947012X
Size	M - L	M - L
Material	Nitrile	Nitrile
Interior finish	Powder-free	Powder-free
Standards	EN 374, EN 420	EN 374, EN 420
Category	III	III
Specification	<ul style="list-style-type: none"> Liquid-tight disposable nitrile glove Food-safe Silicone-free manufacturing process Free of allergenic latex proteins 	<ul style="list-style-type: none"> Diamond texture for optimal grip Extremely tear-resistant Powder-free and latex free Food-safe Silicone-free manufacturing process Orange colour increases visibility



NITRILE GLOVE AQUASTOP



WORKING GLOVE COW SPLIT LEATHER

Art. No	089940121X	0899400295
Size	8 - 9	10
Gauge	15	-
Material of the liner	Lycra®	
Material of coating	Nitrile/nitrile foam	Leather
Material	Nitrile	
Standards	EN 388, EN 420	EN 420
Category	II	I
Application	Assembly work in wet or oily environments, e.g. in industry, automotive workshops, renovation work, masonry work etc.	Industry, transport, agriculture, garages, workshops, construction
Specification	3/4 double-dipped nitrile glove, double-dipped in two colours Waterproof, good mechanical strength and comfortable Tight fit for an excellent grip	Cowsplit leather palm and knuckle padded. Striped cotton back gloves. Pasted cuff, shirred elastic back.



PROTECTIVE GLOVE NITRILE SOFTFLEX



PROTECTIVE GLOVE BASEFLEX

Art. No	0899401068	089940150X
Size	8	8 - 9
Gauge	15	
Material of the liner	Nylon	Seamless round-knit nylon backing fabric
Material of coating	Nitrile foam	Nitrile
Material	Nitrile	Nitrile
Standards	EN 388, EN 420	EN 420
Category	II	I
Application	Light to medium tasks	Car bodywork, Construction, Automotive and HGV industry, Metal, Plastics processing, Maintenance and household appliance technology
Specification	Water-based PU and NBR (nitrile) foam-coated palms Extremely breathable, comfortable Outstanding grip and dexterity	Outstanding mechanical resistance Skin-friendly backing and coating materials Excellent dry grip properties for safe handling of workpieces and tools



VOLTAGE PROTECTIVE GLOVE

Art. No	089940093X	0899430
Size	9 - 11	10
Length	410 mm	350 mm
Material thickness	1 mm	1.8 mm
Material	Latex	PVC - Polyvinyl chloride & Cotton jersey line
Standards	EN 60903	EN 388, EN 420, EN 374
Application	For working voltages up to 1000 V/AC	For medium mechanical stress in wet areas
Specification	Resistant to acid, oil, ozone and cold temperatures Category RC Highly flexible and good tactile sensitivity	Excellent wet and dry grip thanks to micro-roughened palm surfaces 100% waterproof Cold-insulating and heat-insulating jersey lining



CHEMICAL & MOISTURE PROTECTIVE GLOVE



CHEMICAL PROTECTIVE GLOVE NITRILE HEAVY-DUTY

Art. No	0899435408	0899435509
Size	8	9
Material	Nitrile	Natural latex chloroprene mix & Cotton jersey liner
Standards	EN 374, EN 388, EN 420	EN 388, EN 374, EN 420
Category	III	III
Length	450 mm	320 mm
Material thickness	0.58 mm	0.67 mm
Specification	Diamond pattern for a secure grip Chemical and liquid protection against many alkalis, acids, greases, oils and in some cases solvents Silicone-free manufacturing process Food-safe	100% liquid-proof Good resistance to diluted acid and alkaline solutions Good mechanical resistance Silicone-free manufacturing process Food-safe



CHEMICAL PROTECTIVE GLOVE NATURAL LATEX AND CHLOROPRENE

FOOTWEAR



STRETCH X S3 SAFETY SHOE

Art No. M4180990XX

Size: 40 - 44



IDEAL FOR ACTIVITIES
THAT REQUIRE FREQUENT
KNEELING



Shoe Size Chart

EU	37	38	39	40	41	42	43	44	45
US	6	6.5	7	8	8.5	9	10	10.5	11
UK	4	4.5	5	6	7	8	9	10	10.5



STRETCH X ELECTRIC SB SAFETY SHOE

Art No. M414011043

Size: 43



STRETCH2W

**IDEAL FOR ACTIVITIES
THAT REQUIRE FREQUENT
KNEELING**



CETUS S3 LOW-CUT SAFETY SHOE

Art No. M4181330XX

Size: 33, 44, 49



METALFREE

**BREATHABLE ROBUST
FABRIC**



ECO S3 SAFETY SHOES

Art No. M4180820XX

Size: 38 - 44



METALFREE

**ROBUST AND DURABLE ALL-
ROUND SHOES MADE FROM
HIGH-QUALITY LEATHER**





FINTAN S3 SAFETY SHOE

Size: 38 - 43

Art. No.	Version
M4181400XX	Low Cut
M4222010XX	High Cut

S3

**QUALITY LEATHER
SAFETY SHOE**



35cm
shaft
height



DUNLOP S5 RUBBER SAFETY BOOTS

Art No. M4230080XX

Size: 38 - 43



**IMPRESSIVE RESISTANCE
TO VARIOUS CHEMICALS**



TECHNO S3 FLEXITEC® SAFETY SHOES

Art No. M0180540XX

Size: 40 - 44



WITH BOA QUICK-ACTION CLOSURE TECHNOLOGY. ULTIMATE COMFORT WITH EVERY STEP.



FORNAX SAFETY BOOTS S3

Art No. M4221780XX

Size: 38 - 45



IDEAL BOOT FOR WELDING OPERATIONS



CORVUS FULL-GRAIN LEATHER S3 SAFETY BOOTS

Art No. M4221670XX

Size: 38 - 44



MADE OF FINE, SOFT, DURABLE LEATHER GUARANTEE SECURE COMFORT



WORKWEAR



 METALFREE

CETUS OVERALL

Buttons and zips made from special plastic that will not be picked up by metal detectors

5 outer pockets, 2 pen pockets, 2 breast pockets, ruler pocket

Ergonomic cut at the knee, stretch insert at the waist, knee pockets

Art No. M40512800X


Size: S - XL

**THE COMFORTABLE OVERALL
PROTECTION FOR THE WHOLE
BODY WITH VARIETY OF POCKETS**



Clothing Size Chart

Size	Body height	Waist Width	Hip Width	Inseam
S / 46	164 - 175	78 - 81	95 - 98	79 - 80
M / 48	174 - 182	82 - 85	99 - 102	81 - 83
L / 50		86 - 89	103 - 106	
XL / 52	180 - 188	90 - 93	107 - 110	84 - 85





**HIGH RESISTANCE AND
MAXIMUM COMFORT**



 **METALFREE**

CETUS TROUSERS

Non-scratch clothes with buttons and zips made from special plastic that will not be picked up by metal detectors

5 outer, 2 pen pockets, ruler pocket

Art No. M40340342X

Size: S - XL



 **METALFREE**

CETUS SHORTS

Non-scratch clothes with buttons and zips made from special plastic that will not be picked up by metal detectors

5 outer, 2 pen pockets, ruler pocket

Art No. M41313442X

Size: S - XL



**MIXED COTTON/POLY-
ESTER FABRIC THAT MAKES
FOR THE IDEAL COMBINA-
TION OF COMFORT AND
DURABILITY**



MAXIMUM COMFORT DURING ALL KNEELING TASKS. LONG-LIFE, HIGH-QUALITY MATERIAL ENSURES DURABILITY

KNEE PADS FOR KNEE POCKETS

Dimensions: 250 x 150 x 20 mm

Art No. M032004999



MULTI-PURPOSE PROTECTION DURING HOT & COLD WEATHER. BREATHABLE AND FLEXIBLE COMFORT.

X-FINITY MULTI-FUNCTION TOWEL

Can be used as a cap, headscarf, scarf, balaclava and sun protector

Dimensions 50 x 25 cm

Art No. M374055999



ANTIBACTERIAL FINISH

WÜRTH FLEECE JACKET

3 zippered front pockets, e-care cell phone pocket

Elastic sleeve cuffs

Art No. M45625800X

Size: S - M



Art. No.	Size
0899021212	M
0899021214	L

DISPOSABLE PROTECTIVE SUIT PRO 5/6 COVERALL

- Excellent protection against particles, dusts and liquid splashes.
- Protective suit CAT 3, type class 5 + 6
- Prevents static charge
- Prevents unintentional opening - Self-stopping zip
- Elasticated bands around hood, cuffs and leg cuffs and the back



Art. No.	Size
0899021513	L
0899021514	XL

DISPOSABLE DIRT SUIT

- White disposable suit for protection of own clothing and sterile environments
- Good protection abilities
- Close fit with elasticated wrists, ankles, waist and hood
- Made from PP (Polypropylene), which is ideal for not absorbing fluid



Two all-round reflective strips 5 cm wide



With Velcro fastening

WITH VELCRO FASTENING

HIGH-VIS VEST (XL)

Individually packed in polythene bags, 100% Polyester

Art No. 0899078002

VEHICLE PROTECTION



NYLON SEAT PROTECTOR

- Robust and reusable - Washable up to 40°C
- Suitable for all standard vehicle types
- PU-coated special nylon fabric
- Repels water, oil and grease
- Integrated elastic band for a perfect fit
- Reinforced with fabric hem all round

Art No. 0899500014




ROLL-OFF UNIT, 1X

For vehicle protective films, with protective cover

Length x height: 820 x 570 mm

Scope of delivery does not include contents, includes mounting material for individual wall mounting

Art No. 089950006



500
PCS

CREPE PAPER FLOOR MATS - 500 X 350 MM

Art No. 0899500031



500
PCS

PE SEAT PROTECTOR ON ROLL

Art No. 089950001



500
PCS

PE STEERING WHEEL PROTECTOR ON ROLL

Art No. 089950002





UNIVERSAL CAR BODYWORK PROTECTOR

Dimensions: 90 cm x 61 cm

Material: Polyvinyl chloride - fibre-reinforced PVC

Versatile car protector with non-slip outer surface.

Guarantees a secure hold even without magnets or sand bags

Can also be used as a front protector

Art No. 08996003



FRONT AND WING PROTECTOR

Dimensions: 105 cm x 66.2 cm

Material: Polyvinyl chloride

Protects against damage during repair and maintenance work

Suitable for all vehicle models

Fastening with sewn-in sand bags

Art No. 08996005



100
PCS

VEHICLE INTERIOR PROTECTION SET 4 IN 1

Art No. 0899500045



200
PCS

VEHICLE INTERIOR PROTECTION SET 5 IN 1

Art No. 0899500051



100
PCS

VEHICLE INTERIOR PROTECTION SET

Art No. 0899500004



WELDING



AUTOMATIC WELDING HELMET WSH III 9-13

Translucency when not activated: Protection level 4

Translucency when activated: Protection level 9-13

Min./max. temperature conditions: -10 to 70 °C

Standards: EN 379

Art No. 0984690020



WELDING GOGGLES FORNAX®PLUS

Protection level: 5

Material of safety lens: Polycarbonate

UV and IR protection: Yes

EN standard: 166, 169

Mechanical strength: F (45m/s)

Art No. 0984502250




WELDING CAP WSC 9-12

Lightweight, comfortable glare protection with automatic darkening

Translucency when not activated: Protection level 3

Translucency when activated: Protection level 9-12

Art No. 0984700300



WELDER'S ARM PROTECTION

Made from split leather

Split leather sleeve to connect to the shoulder area

With a drawstring around the wrist

Art No. 0984 318



WELDER'S GAITERS

Made from split leather

With sole and stirrup

With two buckled belts

Art No. 0984 317



WELDER'S APRON

With chest flap

Length x width : 100 cm x 80 cm

Universally adjustable leather straps

Material	Art. No
Sheepskin	0984 312
Leather	0984 313



WELDING GLOVE HEAT

Art. No	Length
0984310001	10.5"

Material Cowsplit Leather shell , Jersey palm lined and black drill cuff lined

Standards EN420, EN388, EN407



WELDING GLOVE PRO

Art. No	Length
0984310002	16"

Material Cowsplit Leather shell , Jersey palm lined and black drill cuff lined

Standards EN420, EN388, EN12477



WELDING GLOVE W-100

Art. No	Size
5350050010	10

Material Full-grain cowhide leather

Standards EN 388, EN 420, EN 12477A



FLAME-RETARDANT, SPARK & CHEMICAL RESISTANT SUITABLE FOR WELDING, GRINDING & PAINTING

PORTABLE WELDING PROTECTION WALL

Protects non-participants from harmful effects of optical radiation to the skin and eyes

Protects nearby vehicles & people against weld spatter, slag & sparks

Risk factor < 1

Degree of reflection: 230 to 400 nm < 10%

Wall: W x H: 200 x 190 cm, Curtain: W x H: 205 x 180 cm

Art No. 0984 770



MAX SHORT-TERM TEMP RESISTANCE OF 1000°C

HIGH-TEMP PROTECTIVE BLANKET, HTD 1000

To protect delicate components during welding and soldering work

Resistant to sparks, cinders, welding beads and incandescent materials

Asbestos-free

Max temperature resistance of 850°C

Length	Width	Art No.
500 mm	330 mm	0984 3501
1500 mm	1000 mm	0984 350
3000 mm	2000 mm	0984 3500



MAX SHORT-TERM TEMP RESISTANCE OF 900°C


HIGH-TEMP PROTECTIVE BLANKET, HTD 900

To protect sensitive components during welding and soldering work

Resistant to sparks, cinders, welding beads, Asbestos-free

Max temperature resistance of 750°C

Length	Width	Art No.
1500 mm	1000 mm	0984 3503
3000 mm	2000 mm	0984 35010



FALL PROTECTION



1.5M
LENGTH

100KG
LOAD

**IDEAL FOR SCAFFOLDING BUILDERS, SHELF BUILDERS
AND RAILING INSTALLATION**

CONNECTOR + ENERGY ABSORBER & PIPE CARABINER

For fast, easy attachment to pipes and scaffolding up to max. Ø 59 mm via a large, steel pipe carabiner

Art No. 0899032014



2M
LENGTH

100KG
LOAD

**IDEAL FOR LONGITUDINAL
FAÇADE SCAFFOLDING**

CONNECTOR + FALL ARRESTOR BELT FOR SCAFFOLDING

For fast, easy attachment to pipes and scaffolding up to max. Ø 59 mm via a large, aluminium pipe carabiner

Art No. 0899032052



1.5M
LENGTH

100KG
LOAD

**ENABLES OPTIMUM SECURING DURING
CLIMBING AND ALL WORK WITH CHAN-
GING WORKING POSITIONS (LATTICE
PYLONS, SHELF CONSTRUCTION ETC.)**

Y-CONNECTOR

For attachment on alternating sides - fast securing on pipes with max. dia. 59 mm via steel pipe carabiner

Art No. 0899032015

FIRST AID



FIRST-AID CASE, DIN 13169

- Easy to find what you need thanks to flexible interior compartments and Plexiglas cover
- High-strength ABS plastic
- Resistant to deformation, impact-proof, temperature-resistant
- Protected against dust and water spray thanks to rubber seal in the interior

Art No. 089952015

Contents

- 2 plaster reels DIN 13019-A, 5 m x 2.5 cm
- 16 adhesive plasters DIN 13019-E, 10 x 6 cm
- 2 dressing sets comprising: 4 fingertip dressings, 4 finger dressings 12 x 2 cm, 4 plaster strips 1.9 x 7.2 cm, 8 plaster strips 2.5 x 7.2 cm
- 2 dressing sachets DIN 13151-K
- 6 dressing sachets DIN 13151-M
- 2 dressing sachets DIN 13151-G
- 2 bandages DIN 13152-A
- 12 compresses 100 mm x 100 mm
- 4 eye compresses
- 2 instant cold compress
- 2 thermal blankets, metallised polyester film
- 4 fixation bandages DIN 61634-FB 6
- 4 fixation bandages DIN 61634-FB 8
- 4 triangular cloths DIN 13168-D
- 1 pair of scissors DIN 58279-B190
- 4 film bags, sealable, 300 x 400 mm
- 10 non-woven fabric cloths, 200 x 300 mm, 15 g/m²
- 8 disposable gloves in line with DIN EN 455
- 1 first aid guide
- 1 first aid log



**INCLUDES
WALL HOLDER
90° LOCKING
MECHANISM**



Contents

- 1 x roll of adhesive plasters DIN 13 019 - A, 5x 2.5 cm
- 1 x plaster assortment 14 pieces, DIN 13 019
- 2 x skin wipes
- 1 x dressing sachet DIN 13 151 - K
- 2 x dressing sachets DIN 13 151 - M
- 1 x dressing sachet DIN 13 151 - G
- 1 x bandage DIN 13 152 - A
- 2 x face masks Type 1 DIN EN 14683
- 3 x elasticated bandages DIN 61 631 - MB - 8 rayon/cotton 8 cm x 4 m
- 2 x elasticated bandages DIN 61 631 - MB - 6 rayon/cotton 6 cm x 4 m
- 3 x compresses 100 x 100 mm; 1x 2 pcs; paper in accordance with DIN 58953-2
- 1 x triangular bandage DIN 13 168 - D
- 1 x pair of scissors DIN 58 279 - A 145
- 1 x thermal blanket gold/silver 1600 x 2100 mm
- 4 x disposable gloves
- 1 x first aid brochure 6 languages
- 1 x contents list

FIRST-AID KIT FOR CAR

Complies with DIN 13164

Art No. 08995207



ADHESIVE-FREE PLASTER - 450 CM X 6 CM

For all wounds and cuts, optimum hold even in food-processing areas

Art No. 089951225

PLASTER DISPENSER

Art No. 089951223

PERSONAL HYGIENE KIT 21 PCS

Art No. 089921003

Contents:

- 10 personal hygiene masks
- Personal hygienic cleaner
- 10 hygienic cleaning cloths

HYGIENE



WASTE BAG, 120L

Without pulling strap

Super tear-resistant and puncture-proof LDPE film

Dimensions: 700 x 1100 x 0.04 mm


Art No. 0899800550

OIL BINDING CLOTH 46 X 38 CM -100 PCS

For absorbing oils and chemicals

Material: PP - Polypropylene

Art No. 0899900210



**HIGHLY
ABSORBENT &
TEAR-PROOF**



CLEANING PAPER ROLL, 1000 SHEETS

36 x 38 cm

Fits all common dispensers

Virtually lint-free

Food-safe

CLEANING PAPER HOLDER PACKAGE

Equipped with cutting teeth for paper roll & waste bag holder

Stable and durable

Suitable for all common wiper and cleaning rollers


Art. No.	Version
0899800773	2 Ply
0899800823	3 Ply

Art. No.	Version
0899800606	Floor Stand
0899800607	Wall Holder




MICROACTIVE CLOTH PROFESSIONAL
36 x 32 CM

Art No. 0899900107



MICROACTIVE TOWEL
60 X 150 CM

Art No. 0899900172



Honeycomb
Structure

MICROACTIVE CLOTH 3D CLEAN, 40 x 40 CM

Art No. 0899900141




MICROACTIVE CLOTH GLASS
40 X 40 CM

Art No. 0899900145



MICROACTIVE CLOTH GLOSS
40 X 40 CM

Art No. 0899900139





DOWNLOAD OUR
WÜRTH E-SHOP APP
NOW!



AVAILABLE ON BOTH APPLE APP STORE AND GOOGLE PLAY STORE



**#READY
FOR WORK**

PERSONAL PROTECTIVE EQUIPMENT #02

Wuerth Malaysia Sdn Bhd
Lot 35, Jalan Delima 1/3,
Subang Hi-Tech Industrial Park,
40000, Shah Alam, Selangor.
T +603 58888 420
M +6012 345 3493
inquiry@wuerth.com.my
www.wuerth.my

We reserve the right, at any time without prior notice or notice, to make any product changes that we feel necessary. Images may be for illustration purposes only and that might differ in appearance from the delivered goods. All products and items are whilst stock last. We reserve the right for misprints where we assume no liability. The General Terms and Conditions apply.



@wuerthmalaysia