WÜRTH

PRODUCT ZOOM #23

June 2022

While Stock Last

6 PCS

DOUBLE-END BOX WRENCH SET INCH EXTRA LONG

Contents

Double-end box wrench inch Extra long 1/4 x 5/16 inch, Length 200 mm, 3/8 x 7/16 inch, Length 292 mm, 1/2 x 9/16 inch, Length 367 mm, 5/8 x 11/16 inch, Length 388 mm, 3/4 x 13/16 inch, Length 415 mm, 7/8 x 15/16 inch, Length 430 mm

Art No. 0714235350

3 PCS

DOUBLE RING RATCHET SPANNER SET

Contents

1 double-ring ratchet spanner 8x10 + 12x13

1 double-ring ratchet spanner 16x17 + 18x19

1 bit adapter 10 mm x 1/4 inch, length 20 mm

Art No. 071425730

DOUBLE-JOINTED SOCKET WRENCH

Drive: POWERDRIV. Bi-hex socket wrench

Material: Chrome-vanadium steel

Surface: matt chrome-plated

Geometry: both sides swivel by 90°

Width across flats (mm)	**Art No.**
10 x 11 mm	**0714244101**
12 x 13 mm	**0714244123**
13 x 17 mm	**0714244137**
14 x 15 mm	**0714244145**
16 x 18 mm	**0714244168**

10 PCS

ALLEN KEY SET

Contents

Bright nickel-plated

Chamfered front edges

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 1/2 inch

Art No. 0715311110

OPEN-END SLUGGING WRENCH

Metric, straight

Standard: DIN 133

Material: Special forged steel with high impact resistance

Surface: Steel grey

Geometry: Short, strong profile shaft and slugging end for the most demanding of tasks

Head offset 15°

Width across flats (mm)	**Art No.**
46 mm	**071527 46**
65 mm	**071527 65**

PROTECTIVE GLOVE MULTIFIT LATEX

Extremely light and flexible

Good dry and wet grip properties

Material coating: Latex foam

Material of the liner : Polyamide/elastane

Size	**Art No.**
8	**0899405108**
9	**0899405109**

OIL BINDING CLOTH 46 X 38 CM 25PCS

Load capacity is 25 times the tare weight

Extremely absorbent, no leakage

Only absorbs oils and hydrocarbon-based liquids (oleophilic) – does not absorb water

Art No. 0899900210

CUP-SHAPED MASK CM 3000 V FFP1 NR D 15PCS

Complete protection and comfortable to wear thanks to special, soft filter materials

Exhalation valve ensures a pleasant microclimate inside the mask

Low breathing resistance

Art No. 0899110501

BATTERY-POWERED LED HAND-HELD LAMP WLH 1+1 AC/R

Rechargeable (R) lamp can be charged during mains operation (AC).

360° rotating and fold-away plastic hook

3 light programs to choose from

- Low Power (190 lumens)
- Power (365 lumens)
- Torch function (150 lumens)

Art No. 0827940116

WURTH BACKPACK

Storage rucksack for personal protective equipment

Practical storage and transport of fall arrestor gear

Storage net for helmets, clothing and other accessories

Pockets for mobile phone and flask

Art No. 0899032943

DISPOSABLE PROTECTIVE SUIT PRO 5/6 COVERALL

Protective suit CAT 3, type class 5 + 6

Material: PP - Polypropylene

Size	**Art No.**
M	**0899021212**
L	**0899021214**

ACRYLIC THINNER 5L

For 2-component acrylic products and 1-component thick-film lacquers

To dilute or to adjust the viscosity of 2-component top coats and 2-component clear varnishes for painting.

Art No. 08234000

UNIVERSAL THINNER 5L

For almost all solvent-based paint and primer materials

For adjusting the viscosity of paint products

Art No. 08234405

UNIVERSAL THINNER 6L

For almost all solvent-based paint and primer materials

For adjusting the viscosity of paint products. Very wide range of uses

Art No. 08234406

MAINTENANCE OIL MULTI COBRA 400ML

Versatile multi-functional spray for a range of applications with multi-functional spray head

Art No. 0893055400

MAINTENANCE OIL MULTI 400ML

Versatile multi-functional spray for a range of applications

Lubricates, cleans and maintains

Art No. 089305540

ADHESIVE LUBRICANT PRE-CLEANER HHS® CLEAN 500ML

Highly effective pre-cleaner + adhesion promoter (primer function) specifically matched to HHS products

Art No. 089310610

ACRYLIC SEALANT, WHITE, 310 ML

For sealing indoor joints with low absorption of movements.

Can be coated/plastered over

Suitable for joints indoors subject to less stretching.

Silicone-free

Resistant to ageing, weathering and UV

Art No. 0892165



NEUTRAL SILICONE PERFECT, 310 ML

Low-emission, highly adhesive and versatile sealant for expansion joints in indoor and outdoor areas.
Excellent adhesion to wood, metals and many plastics

Colour	Art No.
Clear	**08925101**
White	**08925102**
Concrete Grey	**08925104**



SILICONE ACETATE BATHROOM UNIT, 310 ML

Suitable for sanitary applications
Excellent adhesion to tiles
High degree of resistance to chemicals
Fungicidal

Colour	Art No.
Clear	**08925601**
Tile White	**08925608**

RUST REMOVER BOLTEX 250ML

Mineral oil-free, high-tech rust remover with KENA® microfluid formula for loosening seized connections and for cleaning surface rust and rust spots

Art No. 0893250250

ADHESIVE LUBRICANT HHS® FOODSTUFFS 500ML

Waterproof, synthetic adhesive lubricant with penetrating properties

Can be used in areas in which food is processed or stored

Art No. 08931076

STRUCTURAL ADHESIVE BOND AND SEAL 300ML

Colour: White

Elastic PU adhesive and sealant for a wide range of applications

For universal use

Can be sanded and painted over

Art No. 08901001

SIMPLEX SOFT FACE HAMMER 655G

Steel housing

Impact inserts and handle rapidly replaceable

Inserts and handle immovably secured

Impact insert combination creates 2-in-1 soft face hammer

Diameter: 40 mm

Art No. 071572 10

MACHINISTS' HAMMER 400G

Length: 310 mm

German type in line with DIN 1041, double-curved ash handle

Optimum impact hardness and no splintering

Electro-inductively hardened

Good handling and long service life

Double-curved, varnished ash handle

Handle secured by ring wedge sealed with synthetic resin

Art No. 071573140

BALL PEEN HAMMER HICKORY HANDLE 16OZ

Genuine hickory handle for durability and long life

Full polished head

Tempering treatment to reduce incidences of chipping and spalling

Length (L): 350 mm

Art No. 071573816

CLUB HAMMER 1KG

Length: 260 mm

Robust 3-component handle for use in the toughest conditions

Sturdy and easy to handle under high-stress conditions

German type in line with DIN 6475

Art No. 0714734510

MACHINIST'S HAMMER WITH PLASTIC HANDLE 300G

Length: 287 mm

Robust three-component hammer handle for use in the toughest conditions

Art No. 0714732403



1. The aluminium alloy handle core allows for vibration-free work cand gives the hammer a high degree of stability.

2. Polyamide component is permanently connected with the hammer head.

3. Additional protection by means of a steel wedge

4. Soft handle made of thermoplastic, non-slip rubber prevents sliding and ensures comfortable working

PISTON RING PLIERS

For installing and removing piston rings.

Bright nickel plated

Length		For Piston Rings		Art No.
mm	inch	mm	inch	
200	8	50-100	2-4	**071557 25**
240	9 1/2	90-140	3 1/2 - 5 1/2	**071557 25**

Micro-lock



Locking clamp

Space-saving clamp

Standard clamp

FLEXIBLE SPRING BAND CLAMP PLIERS

Pliers with Bowden cable and tensioning slide for hard-to-reach places in engine compartment

Min./max. clamp diameter (D): 18-54 mm

Clamp width: 12 mm, 15 mm

Bowden-cable length: 600 mm

Art No. 0714577112



SPRING BAND CLAMP PLIERS

Pliers with rotating clamping jaws and locking mechanism

Length (L): 270 mm

Min./max. clamp diameter (D): 18-54 mm

Clamp width: 12 mm, 15 mm

Art No. 0714577111

CLIP REMOVAL PLIERS

For simple removal of decorative trim, fender rubbers, door coverings, etc.

Does not damage door coverings

Removed clips can be re-used

Blade opening: 11 mm

Length: 280 mm

Art No. 0714500

8 PCS

3/8 INCH SOCKET WRENCH ASSORTMENT

Contents

- 6 socket wrench adapters:
- 3/4 inch - 1/2 inch, 1/2 inch - 3/4 inch, 1/2 inch - 3/8 inch
- 3/8 inch - 1/4 inch, 1/4 inch - 3/8 inch, 3/8 inch - 1/2 inch
- 2 bit adapters:
- 1/4" - 1/4", 3/8" - 5/16"

Art No. 096512 80

30 PCS

SOCKET WRENCH AND BIT ASSORTMENT, 10 MM

Contents

- TX bit 20, 25, 27, 30, 40, 45, 50, 55 (Length: 75 mm)
- TX bit with hole 20, 25, 27, 30, 40, 45, 50, 55 (Length: 30 mm)
- 1/4-inch socket wrench insert, TX head E5, E6, E7, E8, E10 (Length: 22 mm)
- 3/8" adapter, 1/2 inch adapter
- 1/2-inch socket wrench insert, TX head E11, E12, E14, E16, E18, E20. E24 (Length: 40 mm)

Art No. 096512 300

21 PCS

1/2 INCH SOCKET WRENCH ASSORTMENT

Contents

- 1 x ratchet
- 1 x 125 mm extension
- 1 x 250 mm extension,
- 1 x Cardan joint
- 17 socket wrench inserts
- Sizes: 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1 1/16; 1 1/8; 1 3/16 and 1 1/4

Art No. 096513 21

19 PCS

3/8 INCH SOCKET WRENCH ASSORTMENT

Contents

- 1 x reversible ratchet
- 1 x extension, 125 mm
- 1 x extension, 250 mm
- 1 x cardan joint
- 15 socket wrench inserts, inch
- Sizes: 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8

Art No. 096512 19

29 PCS

PRECISION SCREWDRIVER SET

Contents

- 1 precision engineering screwdriver for 4 mm bits
- 1 bit each 4 mm TX4, 5, 6, 7, 8, 9, 10, 15
- 1 bit each 4 mm slotted 1.5 mm, 2 mm, 2.5 mm, 3 mm
- 1 bit each 4 mm recessed head PH00, 0, 1, 2, PZ0, PZ1
- 1 bit each 4 mm hexagon socket 0.9 mm, 1.3 mm, 1.5 mm, 2 mm, 2.5 mm, 3 mm
- 1 bit each 4 mm tri-wing TW1.5, TW2
- 1 bit each 4 mm 5-star 1, 5

Art No. 06134895

33 PCS

BIT BOX

Contents

- RW® bit RW10, RW20, RW25, RW30, RW40 (Length: 25 mm)
- Phillips bit PH1, PH2, PH3 (Length: 25 mm)
- Pozidriv bit PZ1, PZ2, PZ3 (Length: 25 mm)
- TX bit 10, 15, 20, 25, 30, 40 (Length: 25 mm)
- Hexagon socket bit 3, 4, 5, 6 mm (Length: 25 mm)
- Slotted bit 0.6 x 4.5 mm, 0.8 x 5.5 mm, 1.2 x 6.5 mm (Length: 25 mm)
- Magnetic Universal Holder (Length: 60 mm)

Art No. 0614400301

1/4 INCH BIT HOLDER, MAGNETIC

To change the bit, just push the ball into the socket.

The bit easily detaches from the magnet and unlocks the bit holder. Bit can be removed without any problems. Thanks to the return spring, the bit is positioned for easy removal.



Very sleek bit sleeve, max. diameter of 10.5 mm.

Innovative bit holder with one-hand quick-change function

One-hand quick-change function: Pressing lightly on the knob to shoot the bit forwards.
Access deep and hard-to-reach screw heads
Very slim design (⌀ max. 10.5 mm)
For bits with hexagon head drive to DIN 3126

Art. No	0614176639	0614176645
Blade length (L1)	120 mm	310 mm
Length (L)	150 mm	350 mm

CONNECTOR WITH FALL ARRESTOR BELT FOR SCAFFOLDING

Ideal for longitudinal façade scaffolding

Length: 2 m

Max. load capacity: 100 kg

Art No. 0899032052

CONNECTOR WITH ENERGY ABSORBER AND PIPE CARABINER

Length: 1.5 m

For fast, easy attachment to pipes and scaffolding up to max. Ø 59 mm via a large, steel pipe carabiner

Max. load capacity: 100 kg

Art No. 0899032014

Y-CONNECTOR

For attachment on alternating sides

For fast, easy attachment to pipes and scaffolding up to max. Ø 59 mm via a large, steel pipe carabiner

Length: 1.5 m

Max. load capacity: 100 kg

Art No. 0899032015

CLIP REMOVER (SHORT)

For gently releasing clamps and clips.

Short design for easily accessible clips

Nickel-plated blade made from chromium-vanadium steel

2-component handle

Blade length: 120 mm

Art No. 071434 53

CLIP REMOVER (LONG)

For gently releasing clamps and clips.

Long design for inaccessible clips that are located well inside panelling

Nickel-plated blade made from chromium-vanadium steel

2-component handle

Blade length: 300 mm

Art No. 071434 54

CLIP REMOVER

For gentle removal of clips on internal trims.

Blade length: 165 mm

Art No. 071434 52

HYDRAULIC NUT SPLITTER

For the splitting seized nuts up to strength class 10

Hydraulic power transmission facilitates the splitting of high-strength nuts

Chisel must be pushed back again after use

Forged body

Hardened chisel

Width across flats, splitter range: Wrench size 7 - 22 mm

Art No. 0714526050

STARTER CABLE 35 MM² 4.5M

Including overload protection
With two start-safe boxes in tough plastic housing
Protection against overvoltage
No polarity reversal protection
For petrol engines up to max. 7000 cm³
For diesel engines up to max. 4000 cm³
Weight: 4.7 kg
Max. current: 600 A

Art No. 0772035521



MANUAL DISPENSING PUMP 1L

For oils, cleaners, brake fluids and liquids
Liquids can be examined directly
Manual pump with transparent PVC cylinder
For easy filling and extraction of media
Ascending and descending graduations in 50-ml increments

Art No. 0695555406

8 PCS

PNEUMATIC CHIPPING HAMMER DMH 10

Extremely robust, powerful chipping hammer with optimal weight distribution and vibration damping. Ideal for all bodywork, including extraction of body panels, rough removal of coatings or removal of rust from metal parts.

Includes:

Flat chisel, Sheet metal separating chisel, Spot separating chisel, Point chisel, Pipe separating chisel, Retaining spring, Quick-change connection

Art No. 07037121

HOSE PROBE

For manual dispensing pump

Suitable for low-viscosity media

For extraction from hard-to-reach areas

Includes screw adapter, M15 x 1.5

Art No. 0695555408

T-HANDLE HEXAGON SOCKET SCREWDRIVER

High-quality blade
- Matte chrome-plated hexagonal blade for optimal corrosion pro -tection and long service life.
- High-quality special steel provides optimal ratio of deformability and wear resistance.

Multi-component handle comprising solid core and soft casing
- Ergonomically adapted handle for a comfortable grip and fatigue-free operation.

One-piece blade
- Resistant even to extremely high stresses.

For hexagon head screws
Blade: Round blade, chrome-plated
Inner bore for protruding threaded shafts
Standard: DIN 3125
Tip: DIN 475/2

Width across flats (mm)	**Art No.**
8	**061312208**
10	**061312210**
11	**061312211**
12	**061312212**
13	**061312213**
14	**061312214**

ZEBRA QUALITY

8 PCS

T-HANDLE HEXAGON SOCKET BALL HEAD SET

Contents:
- Slotted screwdriver with hexagon blade, torque adjustment and striking cap 1.0 x 5.5 x 100; 1.2 x 7.0 x 125; 1.6 x 9.0 x 150
- Slotted screwdriver with circular blade, short 1.0 x 5.5 x 25
- PH screwdriver with hexagon blade, torque adjustment and striking cap PH 1; PH 2; PH 3
- PH screwdriver with circular blade, short PH 2

Art No. 061394081

ZEBRA QUALITY

6 PCS

T-HANDLE HEXAGON SOCKET BALL HEAD SET

Contents:
1 each of T-handle wrench with ball head hexagon socket, size 5 mm, 6 mm, 8 mm
1 each of T-handle wrench with hexagon socket, size 2.5 mm, 3 mm, 4 mm

Art No. 06139136

ZEBRA QUALITY

6 PCS

T-HANDLE HEXAGON SOCKET ASSORTMENT

Contents:
1 each of T-handle wrench with ball head hexagon socket, size 5 mm, 6 mm, 8 mm
1 each of T-handle wrench with hexagon socket, size 2.5 mm, 3 mm, 4 mm

Art No. 061391306

5 PCS

SCREWDRIVER SET PH/SLOTTED

Contents:
1.0 x 5.5; 1.2 x 7.0; 1.6 x 9.0; PH1; PH2
Art No. 061393225

8 PCS

SCREWDRIVER SET TX

Contents:
TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45
Art No. 06139348

7 PCS

TX SCREWDRIVER ASSORTMENT WITH HOLE

Contents:
TX 10, 15, 20, 25, 27, 30, 40
Art No. 061393487

6 PCS

SCREWDRIVER SET HEX SOCKET SCREWS, BALL HEAD

Contents:
1 each of ball head screwdriver, size 2.5; 3; 4; 5; 6; 8 mm
Art No. 06139156

6 PCS

VDE SCREWDRIVER TX SET

Contents:
TX 8, 9, 10, 15, 20, 25
Art No. 061396235

5 PCS

VDE SCREWDRIVER SET SLOTTED/PH

Contents:
VDE screwdriver, flat slotted, ultra slim 0.4 x 2.5 mm, 0.8 x 4 mm, 1 x 5.5 mm, PH1, PH2
Art No. 0613963250

TWIST DRILL BITS HSS ASME B94.11M TYPE RN 118°

Assembly drill for general, broad applications in steel up to 850 N/mm² strength and cast iron.
Material to be processed: Steel
Standard / drilling depth: ANSI B 94.11M / 6xD
Shank style: Cylindrical
Surface: Plain
Cutting material: HSS

Diameter (inch)	Length (inch)	Chip Flute Length (inch)	**Art. No.**	Qty
1/2"	6"	4 1/2"	**0617040012**	5
1/4"	4"	2 3/4"	**0617040014**	10
1/8"	2 3/4"	1 5/8"	**0617040018**	10
3/8"	5"	3 5/8"	**0617040038**	5
1/16"	1 7/8"	7/8"	**0617040116**	10
3/16"	3 1/2"	2 5/16"	**0617040316**	10
3/32"	2 1/4"	1 1/4"	**0617040332**	10
5/32"	3 1/8"	2"	**0617040532**	10
5/64"	2"	1"	**0617040564**	10
7/16"	5 1/2"	4 1/16"	**0617040716**	5
7/32"	3 3/4"	2 1/2"	**0617040732**	10
7/64"	2 5/8"	1 1/2"	**0617040764**	10
9/32"	4 1/4"	2 15/16"	**0617040932**	10
9/64"	2 7/8"	1 3/4"	**0617040964**	10
11/32"	4 3/4"	3 7/16"	**0617041132**	5

Diameter (inch)	Length (inch)	Chip Flute Length (inch)	**Art. No.**	Qty
11/64"	3 1/4"	2 1/8"	**0617041164**	10
13/32"	5 1/4"	3 7/8"	**0617041332**	5
13/64"	3 5/8"	2 7/16"	**0617041364**	10
15/32"	5 3/4"	4 5/16"	**0617041532**	5
15/64"	3 7/8"	2 5/8"	**0617041564**	10
17/64"	4 1/8"	2 7/8"	**0617041764**	10
19/64"	4 3/8"	3 1/16"	**0617041964**	10
21/64"	4 5/8"	3 5/16"	**0617042164**	5
23/64"	4 7/8"	3 1/2"	**0617042364**	5
25/64"	5 1/8"	3 3/4"	**0617042564**	5
27/64"	5 3/8"	3 15/16"	**0617042764**	5
29/64"	5 5/8"	4 3/16"	**0617042964**	5
31/64"	5 7/8"	4 3/8"	**0617043164**	5

TWIST DRILL BIT ASSORTMENT ANSI HSS 21 PCS

Contents:
1x Ø1/4, 1/8, 3/8, 1/16, 3/16, 3/32, 5/16, 5/32, 5/64, 7/32, 7/64, 9/32, 9/64, 11/32, 11/64, 13/64, 15/64, 17/64, 19/64, 21/64, 23/64 inch
Art No. 0617040001

30MM CHISEL HEXAGON

Point

Flat

Specially designed for use in 16 kg chipping hammer

Tool holding device: Hexagon socket 30 mm

Type	Length	**Art No.**
Point	400 mm	**0647061400**
Flat	400 mm	**0647062400**

THREADED BUSHING TIME-SERT®

For flat or conical sealing seat

- Reliable processing, even with weak walls
- Can also be used in thin-walled materials
- Media-tight
- Self-locking
- Precise positioning in the workpiece
- Surface: Copper plated

Thread type x nominal diameter x pitch	Length	**Art No.**
M12 x 1.25	9 mm	**0662121250**
M14 x 1.25	7 mm	**0662141250**
M14 x 1.25	8 mm	**0662141251**

INSERT NUT TIME-SERT®

For repairing defective threads.

- Safe working, including on weak walls
- Can be used in thin-walled materials
- Media-tight
- Self-locking
- Precise positioning in the workpiece

Thread type x nominal diameter x pitch	Length	**Art No.**
M10 x 1.25	9 mm	**0663101250**
M10 x 1.5	14 mm	**0663101514**
M11 x 1.5	16 mm	**0663111516**
M12 x 1.5	16.3 mm	**0663121516**
M12 x 1.5	9.3 mm	**0663121593**
M5 x 0.8	7.6 mm	**06635 76**
M6 x 1	12 mm	**06636 120**
M6 x 1	9.4 mm	**06636 94**
M7 x 1	10 mm	**06637 100**
M8 x 1.25	11.7 mm	**0663812511**

MAINTENANCE SET

Art No. 0988016637

FREE Display Rack for Aerosol Cans

Description	Volume (ml)	**Art No.**	**Qty**
Brake Cleaner	500	**08901087**	12
Ultra 2040	200	**0890085200**	12
Contact Spray	300	**0890100**	6
Rust Remover Rost-off Plus	300	**0890200**	12
Active Glass Cleaner	500	**089025**	6
Rapid Windscreen Cleaner	32	**0892333**	25
Maintenance Oil Multi	400	**0893055400**	12
Adhesive Lubricant HHS® 2000	500	**0893106**	6
Silicone Spray	500	**0893221**	6
Rust Remover Boltex	250	**0893250250**	12
Air Quick Fresh Active (Odourless)	150	**0893764155**	12
Air Quick Fresh Active (Fresh)	150	**0893764158**	12

FREE DISPLAY RACK FOR AEROSOL CANS

Art. No 0962141002

When you purchase a total of RM1998 of any chemicals (0890 / 0892 / 0893)*

Compatible sizes: 150ml – 700ml
Material: HIPS Plastic
Shelf Size: 30(h) x 40(w) x 40(l) cm
Total shelves: 5 layers
Total Size (without display board): 180 (h) x 45(w) x 45(l) cm
Display board size: 37(w) x 30(h) cm
1 row fit: 5 x 5 aerosol cans (25 total)

Note

Coolant & brake fluid not included*

ORSY VENDING MACHINE

Art No. 0961091210

Spiral dispensing vending machine on consigment basis

- 22 inch touch screen display
- Android system
- Dispensing of individual products by dividing the pack sizes
- Integration of a wide range of items thanks to the flexible number and size of the spirals
- Customizable up to 60 slots with 360 products
- Light sensor monitors the actual dispensing of an item
- Payment method options: Bill Collector, Credit Card & E-Wallet, ID Card
- Back-end system to track sales and stock levels live via WiFi connection

Weight	285 kg
Height	1940 mm
Width	1269 mm
Depth	795 mm

INTERESTED? ASK YOUR SALES REP TO FIND OUT HOW TO GET THIS!

FIRST-AID CASE, DIN 13169

Art No. 089952015

Length	445 mm
Height	150 mm
Width	320 mm

Scope of delivery

- 2 plaster reels DIN 13019-A, 5 m x 2.5 cm
- 16 adhesive plasters DIN 13019-E, 10 x 6 cm
- 2 dressing sets comprising: 4 fingertip dressings, 4 finger dressings 12 x 2 cm, 4 plaster strips 1.9 x 7.2 cm, 8 plaster strips 2.5 x 7.2 cm
- 2 dressing sachets DIN 13151-K
- 6 dressing sachets DIN 13151-M
- 2 dressing sachets DIN 13151-G
- 2 bandages DIN 13152-A
- 12 compresses 100 mm x 100 mm
- 4 eye compresses
- 2 instant cold compress
- 2 thermal blankets, metallised polyester film
- 4 fixation bandages DIN 61634-FB 6
- 4 fixation bandages DIN 61634-FB 8
- 4 triangular cloths DIN 13168-D
- 1 pair of scissors DIN 58279-B190
- 4 film bags, sealable, 300 x 400 mm
- 10 non-woven fabric cloths, 200 x 300 mm, 15 g/m2
- 8 disposable gloves in line with DIN EN 455
- 1 first aid guide
- 1 first aid log
- 1 contents list

Suitable for stationary and mobile use

- Includes wall holder with 90° locking mechanism
- Easy to find what you need thanks to flexible interior compartments and Plexiglas cover
- High-strength ABS plastic
- Resistant to deformation, impact-proof, temperature-resistant
- Protected against dust and water spray thanks to rubber seal in the interior

HIGH PERFORMANCE INJECTION MORTAR WIT-PE 1000

Pure epoxy mortar with a long processing time, ideal for large anchoring depths and drilling holes as well as high temperatures. For compound anchor, concrete and reinforcement attachment with subsequent mortaring (REBAR)

Two-component reactive resin mortar, pure epoxy, styrene-free

Individual attachment in:
Cracked and non-cracked concrete (M8 to M30, ø8 - ø32)
REBAR connection (ø8 - ø40)

Seismic performance category C1 (M8 to M30 , ø8 - ø32)
Seismic performance category C2 (M12 to M24)

Anchor rod W-VI-A
Anchor rod W-VD-A
Standard threaded rod (with acceptance test certificate 3.1)
Female thread anchor W-VI-IG

Art No. 5918605586 (585ml)

CONCRETE
Cracked & Uncracked

Anchor Rod W-VD-A

Anchor Rod W-VI-A

Standard Threaded Rod
(with acceptance test cert 3.1)

Female Thread
Anchor W-VI-IG

Reinforcement attachment with subsequent mortaring (REBAR)

Anchoring of threaded rods in natural stone (without approval/evaluation)



Suitable Anchoring Reasons

Cracked Concrete

Uncracked Concrete

REBAR

FREE CORDLESS GUN
when you purchase 12PCS of PE1000
Art. No 5701 000 585

E-SHOP PROMOTION

Only valid on the Wuerth Online Shop

WARNING ADHESIVE TAPE, 6M
Art No. 081244 672

MINIMUM PURCHASE
RM500

PROMO CODE
WARNTAPE

UNI MARKER SET
Art No. 0967911401

MINIMUM PURCHASE
RM800

PROMO CODE
UNIMARK

LAPTOP BACKPACK
Art No. 0715930602

MINIMUM PURCHASE
RM1800

PROMO CODE
BACKPACK

SHOP PROMOTION

No more waiting.
Get your item(s) on the spot at our store today.

Google Maps **Waze**

OVER 3000++ PRODUCTS IN STORE

FABRIC ADHESIVE TAPE, 50M
Art No. 0874100200

MINIMUM PURCHASE
RM100

2C CUTTER KNIFE WITH SLIDE
Art No. 071566 275

MINIMUM PURCHASE
RM200

WARNING MARKING ADHESIVE TAPE, 33 MM
Art No. 081244 660

MINIMUM PURCHASE
RM300

DOWNLOAD OUR WÜRTH E-SHOP APP NOW!

AVAILABLE ON BOTH APPLE APP STORE AND GOOGLE PLAY STORE

OIL BINDER BASIC 50L

Art No. 08906

MINIMUM PURCHASE

RM1000

SANITISER MULTISAN D 80 5L

Art No. 0890600306

MINIMUM PURCHASE

RM1500

SCREWDRIVER, SPEED WITH MAGNETIC 1/4 INCH BIT HOLDER

Art No. 06136120

MINIMUM PURCHASE

RM2000

TRAVEL BAG

Art No. 0715930603

MINIMUM PURCHASE

RM2500

Free item for any purchase of products from this promo with a minimum value
(WHILE STOCKS LAST)

WÜRTH

#READY FOR WORK

PRODUCT ZOOM #23

Wuerth Malaysia Sdn Bhd
Lot 35, Jalan Delima 1/3,
Subang Hi-Tech Industrial Park,
40000, Shah Alam, Selangor.
T +603 58888 420
M +6012 345 3493
inquiry@wuerth.com.my
www.wuerth.my

We reserve the right, at any time without prior notice or notice, to make any product changes that we feel necessary. Images may be for illustration purposes only and that might differ in appearance from the delivered goods. All products and items are whilst stock last. We reserve the right for misprints where we assume no liability. The General Terms and Conditions apply.

@wurthmalaysia