

# PERSONAL PROTECTIVE EQUIPMENT #01

Complete range of personal protective equipment for professionals



## CONTENTS

4	<b>Head protection</b>
5	<b>Eye protection</b>
6 - 7	<b>Respiratory protection</b>
8 - 9	<b>Hearing protection</b>
10 - 12	<b>Hand protection</b>
13 - 15	<b>Footwear</b>
16 - 19	<b>Workwear</b>
20 - 22	<b>Welding</b>
23	<b>Working Equipment</b>
24 - 25	<b>Vehicle protection</b>
26 - 27	<b>Occupational Safety</b>
28	<b>Fall protection</b>
29 - 31	<b>Hygiene</b>



A close-up photograph of a male worker wearing a white hard hat and a high-visibility yellow safety vest over a dark jacket. He is looking upwards and to the left, holding a large bundle of purple cables. The background is a blurred industrial or construction setting.

# YOUR SAFETY IS OUR PRIORITY.

Many operations or activities expose your employees to the risk of accidents or damage to health. Companies must perform a risk assessment for every type of workstation, regardless of the size of the firm. Risk assessment should in particular take into account the nature and extent, duration and probability of risk to employees; working conditions and personal constitution should also receive due consideration.

The selection of appropriate personal protective equipment (PPE) is essential to afford your employees the best possible protection. As your expert partner, we will provide you with our Wuerth protective equipment will also discuss prevention measures and solution approaches with you.

## HEAD PROTECTION

### HARD HAT SH 2000-S

Art No. 0899200243

Short helmet peak for unobstructed upwards view

Neck protector extended downwards



6-point fabric lining and individually controlled ventilation openings on the front & back



30mm pockets for hearing protection attachment

**COMFORTABLE HARD HAT WITH INTERNAL DIAL ADJUSTMENT**



### STANDARD VISOR

Art No. 0899200237



### EAR DEFENDERS

Art No. 0899200259



### HELMET ADAPTER

Art No. 0899200297



### CHIN STRAP, 4-POINT

Art No. 0899200248



### FACE SHIELD PRO GUARD

Art No. 0899101225

Spherical polycarbonate visor which can be flip-up repositioned



**FULL FACE SHIELD TO REDUCE THE RISK OF FACE AND FOREHEAD INJURIES**

Adjustable pin-lock for height adjustment and ratchet locking system



### FACE SHIELD

Art No. 0899101202

Multiple visor inclination adjustment settings

Individual head strap adjustment



Soft padding on all parts with head contact

Large resistant polycarbonate visor with wide field of view

**PERFECT PROTECTION WITH SPECIAL GEOMETRY FROM UPPER HEAD TO CHIN**

### PROTECTIVE FILM

Art No. 0899101204





## EYE PROTECTION

### SAFETY GOGGLES CASTOR

Art No. 0899107016

- Indirect ventilation system guarantees protection against drops and splashes inside
- Can be worn over prescription glasses and in combination with breathing masks
- High impact-resistant polycarbonate lens

**FULL-VISION GOGGLES WITH SUPPLE FRAME**

Panoramic lens guarantees peripheral vision



Adjustable head strap for a perfect fit

### FULL-VISION GOGGLES ANDROMEDA®

Art No. 0899102110

- Spacious
- Panoramic field of vision
- Optimum ventilation for ideal eye comfort
- Suitable for combining with half-face masks
- High impact-resistant polycarbonate lens
- Scratch-resistant lens surface and permanent anti-fog coating on inside
- Lens can be replaced quickly and easily
- Individually adjustable headband
- 100% UV protection up to 400 nm

**TWO-COMPONENT TECHNOLOGY FOR RELIABLE PROTECTION AND MAXIMUM COMFORT**



### SAFETY GLASSES

Art. No.	Version
0899103120	Clear
0899103121	Tinted
0899103122	Yellow
0899103123	Brown

Scratch & impact resistant lens with 99% UV protection



**ALL-ROUND DESIGN FOR MAXIMUM SIDE PROTECTION**

### SAFETY GLASSES PREMIUM

Art. No.	Version
0899103110	Clear
0899103111	Tinted
0899103112	Yellow
0899103113	Brown

Scratch & impact resistant lens with Anti-Fog coating & 99% UV protection

Adjustable side arms with lock



## RESPIRATORY PROTECTION

### CUP-SHAPED MASK CM 3000 V FFP1 NR D

Art No. 0899110501

Exhalation valve ensures a pleasant microclimate inside the mask



Nosepiece for a better grip



Pre-moulded design for optimum fit and seal

### PAINTER'S SET

Art No. 0899175020

- Practical quick-action closure allows you to protect the inside of the mask from dirt when not wearing
- Filter against gases, vapours, fine dust and particles that occur during painting
- Can be used flexibly on construction sites, during renovation work and in the paint booth

#### Scope of delivery:

- 1 x Half face mask HM 175
- 2 x Combination filter A2P3 RD



## HALF FACE MASK HM 175

Art No. 0899175000

- Double bayonet mount
- Quick-action closure at the neck
- Low breathing resistance



## GAS FILTER ABEK1

Art No. 0899175012



## GAS FILTER A2

Art No. 0899175010



## COMBINATION FILTER A2P3 RD

Art No. 0899175011



## COMBINATION FILTER ABEK1HGP3 RD

Art No. 0899175013



## PARTICLE PRE- FILTER PAD P2 R

Art No. 0899175014



## PRE-FILTER HOLDER

Art No. 0899175015



## PARTICULATE FILTER P3 R

Art No. 0899175016





## HEARING PROTECTION



### EAR DEFENDER A812

Art No. 0899300361

- Foldable earmuff, sock resistant, durable

Soft foam ear cushions for comfort and secure fitting

Slide and swivel cup enhances comfort and fit



**COMFORTABLE EARMUFFS FOR USE IN NOISY ENVIRONMENTS UP TO 31.3DB**

### EAR DEFENDERS WNA 200/F

Art No. 0899300430

- Very comfortable
- High SNR value - 32dB

Reflective lettering on the headband

Padded headband and soft sealing cushions

Height adjustment of straps

Fluorescent capsules for excellent visibility



**GREAT INSULATION WITH 32DB SNR VALUE & FLUORESCENT MUFFS**

### EAR DEFENDERS WNA 200

Art No. 0899300410

- Very comfortable
- High SNR value - 33dB

Padded headband and soft sealing cushions

Height adjustment of straps



**EXCELLENT INSULATION WITH 33DB SNR VALUE**



## **CORDED EAR PLUGS X-100, 100 PCS**

**Art No. 0899300332**




**ERGONOMIC EAR PLUGS FOR USE IN  
EXTREMELY NOISY ENVIRONMENTS  
UP TO 37DB WITH SAFETY CORD**

## **EAR PLUGS X-100, 50 PCS**

**Art No. 0899300342**

- Very comfortable for maximum user acceptance
- Closed surface prevents the penetration of foreign bodies and dirt particles in the plugs



**ERGONOMIC EAR PLUGS FOR USE IN  
EXTREMELY NOISY ENVIRONMENTS  
UP TO 37DB**

Imprinted X shape provides soft and optimum adjustment to the ear canal & quick and simple to insert & remove correctly

## **EAR PLUG DISPENSER**

**Art No. 0899300335**

- Easy-to-use and robust ear plug dispenser for wall mounting
- Easy filling
- Grid rotation system prevents multiple plugs from falling out
- Catch shelf prevents the plugs from falling to the floor

**WALL MOUNTED EAR PLUS DISPENSER  
FILLS UP TP 400 PAIRS**



## HAND PROTECTION



**PROFESSIONAL GLOVE**



**PROFESSIONAL GLOVE, CUT SPECIAL**

Art. No	0899400749	08994012XX
Size	9	8 - 11
Material	Elasticated polyester fabric/ Neoprene	Elasticated polyester fabric/ Neoprene
Standards	EN 388, EN 420	EN 388, EN 420
Category	II	II
Application	For light to medium-duty mechanical tasks	Applications with high cut protection and abrasion resistance requirements
Specification	<p>Integrated magnet on the back of the hand to attach small tools and fastening materials.</p> <p>Robust protectors on the back of the hand and fingers</p> <p>Shock-absorbing inserts in the palm</p>	<p>Special cut protection fibres around the palm surfaces</p> <p>Specific reinforcements at areas placed under strain</p> <p>Robust protectors on the back of the hand and fingers</p> <p>Palm of hand has abrasion-proof and anti-slip trims</p>



**PROTECTIVE GLOVE FLEXTON**



**PROTECTIVE GLOVE BLACK MECHANIC**

Art. No	0899400330	0899405028
Size	8	8
Gauge	13	13
Material of the liner	Nylon	Nylon
Material of coating	Polyurethane	Natural rubber with crinkle finish
Material		Nylon fabric with latex coating shrunk
Standards	EN 388, EN 420	EN 388
Category	II	II
Application	Fine, precise work, for light assembly work, electrical and electronics assembly, household appliance technology, automotive and vehicle parts production, painting and decorating, interior fitting.	All activities that require a good wet grip and tactile properties Light to medium assembly and workshop operations
Specification	Lightweight, breathable fine assembly glove Excellent flexibility	Universal glove with good mechanical resistance and special surface texturing for excellent dry and wet grip



**NITRILE GLOVE AQUASTOP**



**WORKING GLOVE COW SPLIT LEATHER**

Art. No	0899401218	0899400295
Size	8	10
Gauge	15	-
Material of the liner	Lycra®	
Material of coating	Nitrile/nitrile foam	Leather
Material	Nitrile	
Standards	EN 388, EN 420	EN 420
Category	II	I
Application	Assembly work in wet or oily environments, e.g. in industry, automotive workshops, renovation work, masonry work etc.	Industry, transport, agriculture, garages, workshops, construction
Specification	3/4 double-dipped nitrile glove, double-dipped in two colours Waterproof, good mechanical strength and comfortable Tight fit for an excellent grip	Cowsplit leather palm and knuckle padded. Striped cotton back gloves. Pasted cuff, shirred elastic back.



**PROTECTIVE GLOVE NITRILE SOFTFLEX**



**PROTECTIVE GLOVE BASEFLEX**

Art. No	0899401068	08994015XX
Size	8	8 - 9
Gauge	15	
Material of the liner	Nylon	Seamless round-knit nylon backing fabric
Material of coating	Nitrile foam	Nitrile
Material	Nitrile	Nitrile
Standards	EN 388, EN 420	EN 420
Category	II	I
Application	Light to medium tasks	Car bodywork, Construction, Automotive and HGV industry, Metal, Plastics processing, Maintenance and household appliance technology
Specification	Water-based PU and NBR (nitrile) foam-coated palms Extremely breathable, comfortable Outstanding grip and dexterity	Outstanding mechanical resistance Skin-friendly backing and coating materials Excellent dry grip properties for safe handling of workpieces and tools

**HAND PROTECTION**

**TIGERFLEX PLUS NITRILE  
PROTECTIVE GLOVE**
**CUT PROTECTION GLOVE  
TIGERFLEX W-230 LEVEL C**
**PROTECTIVE GLOVE TIGERFLEX  
HI-LITE**

Art. No	089941101X	089945135X	089940308X
Size	8	8 - 9	8 - 9
Gauge	15	13	15
Material of the liner	Nylon	HPPE	Polyester/spandex
Material of coating	Nitrile foam	Nitrile foam	Nitrile foam
Standards	EN 388, EN 420	EN 388, EN 420	EN 388, EN 420
Category	II	II	II
Application	For light to medium work requiring a good grip and a high degree of flexibility	Suitable for precision work in dry conditions with high cut protection requirements	Light to medium work requiring a good grip and a high degree of flexibility:
Specification	Skin-friendly and soft, seamless, round-knit fabric with a snug fit Breathable Tigerflex coating made of nitrile foam	Nitrile foam-coated palms with additional nitrile "Tiger" grip Breathable, good grip, comfortable to wear Optimal fit and outstanding tactile and touch sensitivity	Nitrile-foam-coated palms with additional nitrile Tiger grip Breathable & Comfortable Soft fabric and close fit ensure excellent grip and outstanding dexterity


**NITRILE DISPOSABLE  
GLOVES, BLACK, 100 PCS**
**DISPOSABLE NITRILE GRIP  
GLOVE, ORANGE, 50 PCS**
**CHEMICAL PROTECTIVE GLOVE**

Art. No	0899 470 39X	0899470122	0899435509
Size	M - L	L	9
Material	Nitrile	Nitrile	Natural latex chloroprene mix
Interior finish	Powder-free	Powder-free	Cotton Flocklined
Standards	EN 374, EN 420	EN 374, EN 420	EN 388, EN 374, EN 420
Category	III	III	III
Specification	<ul style="list-style-type: none"> <li>Liquid-tight disposable nitrile glove</li> <li>Food-safe</li> <li>Silicone-free manufacturing process</li> <li>Free of allergenic latex proteins</li> </ul>	<ul style="list-style-type: none"> <li>Diamond texture for optimal grip</li> <li>Extremely tear-resistant</li> <li>Powder-free and latex free</li> <li>Food-safe</li> <li>Silicone-free manufacturing process</li> <li>Orange colour increases visibility</li> </ul>	<ul style="list-style-type: none"> <li>100% liquid-proof</li> <li>Good resistance to diluted acid and alkaline solutions</li> <li>Good mechanical resistance</li> <li>Silicone-free manufacturing process</li> <li>Food-safe</li> </ul>



**FOOTWEAR**



**S3** =



**MADE IN EUROPE**

**S5** =

**S3**



Shoe Size Chart									
<b>EU</b>	37	38	39	40	41	42	43	44	45
<b>US</b>	6	6.5	7	8	8.5	9	10	10.5	11
<b>UK</b>	4	4.5	5	6	7	8	9	10	10.5



**STRETCH X S3 SAFETY SHOE**

**Art No. M4180990XX**  
**Size: 40 - 44**



**IDEAL FOR ACTIVITIES THAT REQUIRE FREQUENT KNEELING**



**TECHNO S3 FLEXITEC® SAFETY SHOES**

**Art No. M0180540XX**  
**Size: 40 - 44**



**WITH BOA QUICK-ACTION CLOSURE TECHNOLOGY. ULTIMATE COMFORT WITH EVERY STEP.**

**FOOTWEAR**



**ECO S3 SAFETY SHOES**

Art No. M4180820XX  
Size: 38 - 44

**S3** METALFREE

**ROBUST AND DURABLE ALL-ROUND SHOES  
MADE FROM HIGH-QUALITY LEATHER**

**CORVUS FULL-GRAIN LEATHER S3 SAFETY BOOTS**

Art No. M4221670XX  
Size: 38 - 44

**S3** METALFREE

**MADE OF FINE, SOFT, DURABLE LEATHER  
GUARANTEE SECURE COMFORT**



**FINTAN S3 SAFETY SHOE**

**S3**

**QUALITY LEATHER  
SAFETY SHOE**

Art. No.	Version
M4181400XX	Low Cut
M4222010XX	High Cut

Size: 38 - 43



**FORNAX SAFETY BOOTS S3**

Art No. M4221780XX

Size: 38 - 45

**S3**

**THE IDEAL BOOT FOR WELDING OPERATIONS**



**DUNLOP S5 RUBBER SAFETY BOOTS**

Art No. M4230080XX

Size: 38 - 43

**S5** **DUNLOP**  
PROTECTIVE FOOTWEAR

**IMPRESSIVE RESISTANCE TO VARIOUS CHEMICALS**







Clothing Chart				
Size	Body height	Waist Width	Hip Width	Inseam
<b>S / 46</b>	164 - 175	78 - 81	95 - 98	79 - 80
<b>M / 48</b>	174 - 182	82 - 85	99 - 102	81 - 83
<b>L / 50</b>		86 - 89	103 - 106	
<b>XL / 52</b>	180 - 188	90 - 93	107 - 110	84 - 85

## CETUS OVERALL

Art No. **M40512800X**

Size: **S - XL**

**METALFREE**

- Buttons and zips made from special plastic that will not be picked up by metal detectors
- 5 outer pockets, 2 pen pockets, 2 breast pockets, ruler pocket
- Ergonomic cut at the knee, stretch insert at the waist, knee pockets
- ID holder clip, label to identify the employee
- Suitable for industrial laundry, certified in accordance with DIN EN 14404, STANDARD 100 by OEKO-TEX®

**THE COMFORTABLE OVERALL PROTECTION FOR THE WHOLE BODY WITH VARIETY OF POCKETS**





## CETUS TROUSERS

Art No. M40340342X

Size: S - XL

METALFREE



**HIGH RESISTANCE  
AND MAXIMUM  
COMFORT**

- Non-scratch clothes with buttons and zips made from special plastic that will not be picked up by metal detectors
- 5 outer, 2 pen pockets, ruler pocket
- Ergonomic cut at the knee, stretch insert at the waist, knee pockets
- ID holder clip
- Suitable for industrial laundry, certified in accordance with DIN EN 14404, STANDARD 100 by OEKO-TEX®

## CETUS SHORTS

Art No. M41313442X

Size: S - XL

METALFREE



- Non-scratch clothes with buttons and zips made from special plastic that will not be picked up by metal detectors
- 5 outer, 2 pen pockets, ruler pocket
- Elasticated insert at waist
- ID holder clip
- Suitable for industrial laundry, STANDARD 100 by OEKO-TEX®

**MIXED COTTON/POLYESTER FABRIC THAT  
MAKES FOR THE IDEAL COMBINATION OF COM-  
FORT AND DURABILITY**

## WORKWEAR



### HIGH-VIS VEST

Art No. 0899078002

- Two all-round reflective strips 5 cm wide
- Individually packed in polythene bags
- 100% Polyester

**WITH VELCRO FASTENING**



### KNEE PADS FOR KNEE POCKETS

Art No. M032004999

- Very light and durable material
- Maximum cushioning comfort
- Dimensions: 250 x 150 x 20 mm
- Developed in accordance with DIN EN ISO 14404: Type 2

**MAXIMUM COMFORT DURING ALL KNEELING TASKS. LONG-LIFE, HIGH-QUALITY MATERIAL ENSURES DURABILITY**



### X-FINITY MULTI-FUNCTION TOWEL

Art No. M374055999

- Soft, elastic material
- Can be used as a cap, headscarf, scarf, balaclava and sun protector
- Suitable for all activities
- Dimensions 50 x 25 cm

**MULTI-PURPOSE PROTECTION DURING HOT & COLD WEATHER. BREATHABLE AND FLEXIBLE COMFORT.**





### **DISPOSABLE PROTECTIVE SUIT PRO 5/6 COVERALL**

**Art No. 089902121X**  
**Size: M- 3XL**

- Excellent protection against particles, dusts and liquid splashes.
- Protective suit CAT 3, type class 5 + 6
- Prevents static charge
- Prevents unintentional opening - Self-stopping zip
- Elasticated bands around hood, cuffs and leg cuffs and in the back

### **DISPOSABLE DIRT SUIT**

**Art No. 0899021512**  
**Size: M**

- White disposable suit for protection of own clothing and sterile environments
- Good protection abilities
- Close fit with elasticated wrists, ankles, waist and hood
- Made from PP (Polypropylene), which is ideal for not absorbing fluid



## WELDING PROTECTIVE EQUIPMENT

### WELDING CAP WSC 9-12

Art No. 0984700300

- Lightweight, comfortable glare protection with automatic darkening
- For all arc welding methods:  
Electrode welding, MIG/MAG, flux-cored wire welding, TIG welding

WITH PADDED ANTI-SWEAT HEADBAND



### WELDING GLOVE W-100

Art No. 5350050010

- Full-grain cowhide palms
- Split leather backs and cuffs
- Very rugged and hard-wearing
- Repellent to oil, grease and water

ROBUST MADE FROM FULL-GRAIN COWHIDE



### WELDING GLOVE, HEAT

Art No. 0984310001

Size: L

- Resists heat, flames and sparks
- Reinforced thumb
- Sewn with Kevlar thread for reinforcement
- Reinforced thumb
- Made of oxhide

SHORT SHAFT WITH FLEECE LINING FOR COMFORTABLE MOVEMENT



### WELDING GLOVE, PRO

Art No. 0984310002

- Cowsplit leather shell
- Jersey palm lined and black drill cuff lined
- Kevlar stitching
- 406,4 mm length
- Wing thumb, red piping

WITH ADDITIONAL PALM REINFORCEMENT






## WELDER'S ARM PROTECTION

**Art No. 0984 318**

- Made from split leather
- Split leather sleeve to connect to the shoulder area
- With a drawstring around the wrist
- Colour: natural

**56CM LENGTH**




## WELDER'S GAITERS

**Art No. 0984 317**

- Made from split leather
- With sole and stirrup
- With two buckled belts

**40CM LENGTH**



## WELDER'S APRON, SHEEPSKIN

**Art No. 0984 312**

- With chest flap
- Length: 100 cm
- Width: 80 cm
- Universally adjustable leather straps
- Rough surface

**IDEAL PROTECTION AGAINST CUTS  
AND FRICTION WEAR**



## WELDER'S APRON, LEATHER

**Art No. 0984 313**

- With chest flap
- Length: 100 cm
- Width: 80 cm
- Universally adjustable leather straps

**THE SMOOTH SURFACE MAKES IT RESISTANT TO FLYING  
SPARKS, WELDING BEADS, LIQUID STEEL AND ALUMINIUM**



## PORTABLE WELDING PROTECTION WALL

**Art No. 0984 770**

- Protects non-participants from harmful effects of optical radiation to the skin and eyes
- Protectes nearby vehicles & people against weld spatter, slag & sparks
- Risk factor < 1
- Degree of reflection: 230 to 400 nm < 10%
- Wall: W x H: 200 x 190 cm, Curtain: W x H: 205 x 180 cm

**FLAME-RETARDANT, SPARK & CHEMICAL RESISTANT SUITABLE FOR WELDING, GRINDING & PAINTING**



## HIGH-TEMP PROTECTIVE BLANKET, HTD 900

**Art No. 0984 3503 (1500x1000 mm)**

- To protect sensitive components during welding and soldering work
- Resistant to sparks, cinders, welding beads
- Asbestos-free
- Max temperature resistance of 750°C

**MAX SHORT-TERM TEMP RESISTANCE OF 900°C**




## HIGH-TEMP PROTECTIVE BLANKET, HTD 1000

**Art No. 0984 3501 (500x330 mm)**

- To protect delicate components during welding and soldering work
- Suitable for extreme conditions
- Resistant to sparks, cinders, welding beads and incandescent materials
- Asbestos-free
- Max temperature resistance of 850°C

**MAX SHORT-TERM TEMP RESISTANCE OF 1000°C**



## WORKING EQUIPMENT

### FIRST-AID CASE, DIN 13169

Art No. 089952015

- Easy to find what you need thanks to flexible interior compartments and Plexiglas cover
- High-strength ABS plastic
- Resistant to deformation, impact-proof, temperature-resistant
- Protected against dust and water spray thanks to rubber seal in the interior



**INCLUDES WALL HOLDER  
90° LOCKING MECHANISM**

#### Contents:

- 2 plaster reels DIN 13019-A, 5 m x 2.5 cm
- 16 adhesive plasters DIN 13019-E, 10 x 6 cm
- 2 dressing sets comprising: 4 fingertip dressings, 4 finger dressings 12 x 2 cm, 4 plaster strips 1.9 x 7.2 cm, 8 plaster strips 2.5 x 7.2 cm
- 2 dressing sachets DIN 13151-K
- 6 dressing sachets DIN 13151-M
- 2 dressing sachets DIN 13151-G
- 2 bandages DIN 13152-A
- 12 compresses 100 mm x 100 mm
- 4 eye compresses
- 2 instant cold compress
- 2 thermal blankets, metallised polyester film
- 4 fixation bandages DIN 61634-FB 6
- 4 fixation bandages DIN 61634-FB 8
- 4 triangular cloths DIN 13168-D
- 1 pair of scissors DIN 58279-B190
- 4 film bags, sealable, 300 x 400 mm
- 10 non-woven fabric cloths, 200 x 300 mm, 15 g/m<sup>2</sup>
- 8 disposable gloves in line with DIN EN 455
- 1 first aid guide
- 1 first aid log





## VEHICLE PROTECTION

### PE SEAT PROTECTOR ON ROLL

**Art No. 089950001**

- Suitable for use with airbags
- White, oil-resistant and water-resistant PE film
- Film thickness of 13 µm (0.013 mm) for optimal material thickness for elasticity in all directions
- Exact perforation for precise and easy tear-off
- Easy to unroll without the film pulling to one side
- Practical dispenser carton protects against dust

**500 PCS**



### VEHICLE INTERIOR PROTECTION SET 4 IN 1

**Art No. 0899500045**

- 4 pieces. Consists of a seat protector, a floor mat, a steering wheel and a gear lever protector.
- Easy to use
- All protectors are in the folded floor mat.
- Easy removal of the protector through the practical opening in the packaging.
- Universal - Fits most car interiors

**100 PCS**



### VEHICLE INTERIOR PROTECTION SET 5 IN 1

**Art No. 0899500051**

- 5-piece vehicle interior protection set consisting of seat protector, foot mat, protective film for steering wheel, gearstick and hand-brake

**200 PCS**





## SEAT PROTECTOR, NYLON

**Art No. 0899500014**

- Robust and reusable
- Suitable for all standard vehicle types
- PU-coated special nylon fabric
- Repels water, oil and grease
- Integrated elastic band for a perfect fit
- Reinforced with fabric hem all round
- Suspension eyelet
- Washable up to 40°C



## FRONT AND WING PROTECTOR

**Art No. 08996005**

- Protects against damage during repair and maintenance work
- Suitable for all vehicle models
- Fastening with sewn-in sand bags
- Also suitable for aluminum and plastic bodies



## OCCUPATIONAL SAFETY

### BARRICADE POST WITH PULL-OUT BELT

**Art No. 0957595001**

- Post system for a mobile, primarily visual or symbolic barrier. The pull-out belt can be attached to another post, wall cassette or wall clip.
- Portable and flexible, space-saving storage of individual parts
- 4-way belt cassette
- Automatic retractor with brake function
- Bottom plate with tare weight



### WALL CASSETTE WITH BELT PULL-OUT FOR BARRIERS, 4M

**Art No. 0957595020**


- Alternative to a bollard if a permanent barrier is required or space is limited.
- Suitable as primarily visual or symbolic barrier. The pull-out belt can be attached to a stop post, wall cassette or wall clip.
- Space-saving and cost-effective barrier
- 3-way belt cassette
- Automatic retractor with brake function
- The barrier can be flexibly configured using bollard and wall clip




### WALL CLIP FOR PULL-OUT BARRIER TAPES


**Art No. 0957595030**

- The wall clip is attached to existing walls or other installations and is suitable as a cost-effective, permanent and quickly established barrier
- Space-saving and cost-effective solution for permanently cordoning off with small space requirement
- Easy to mount with screw fastening
- The barrier can be flexibly configured using bollard and wall cassettes






**WARNING MARKING ADHESIVE TAPE  
HEAVY DUTY**



**WARNING ADHESIVE TAPE FOR  
FOOD AREAS AND HYGIENE ZONES**

Art. No	081244 664	08994015XX
Length	10 m	15 m
Width	50 mm	50 mm
Thickness	0.5 mm	0.2 mm
Suitable for use in the following materials	Concrete screed Asphalt Smooth surfaces	Concrete screed Smooth surfaces
Application	Outdoors Indoors	Indoors
Material	PVC - Polyvinyl chloride	PES - Polyester
Adhesive base	Acrylate	Acrylate
Specification	High tear resistance Good abrasion resistance Tape can be driven over by trucks, passenger cars, commercial vehicles, etc	Long-lasting adhesive strength High tear resistance Easy to clean Can be driven over immediately



**WARNING ADHESIVE TAPE,  
NON-SLIP, STANDARD**



**WARNING MARKING ADHESIVE TAPE**

Art. No	081244 672	081244 660
Length	6 m	33 m
Width	50 mm	50 mm
Thickness	1 mm	0.16 mm
Suitable for use in the following materials	Concrete screed Asphalt Smooth surfaces	Concrete screed Smooth surfaces
Application	Outdoors Indoors	Indoors
Material	PVC - Polyvinyl chloride	PVC - Polyvinyl chloride
Adhesive base	Acrylate	Natural rubber
Specification	For medium to high loads Prevents slipping and falling accidents	Quick and easy to apply and virtually no residue when removed Tape can be driven over by trucks, passenger cars, commercial vehicles, etc



## FALL PROTECTION

### CONNECTOR WITH ENERGY ABSORBER AND PIPE CARABINER

Art No. 0899032014

- For fast, easy attachment to pipes and scaffolding up to max. Ø 59 mm
- via a large, steel pipe carabiner
- Length: 1.5 m
- Max Load: 100 kg

**IDEAL FOR SCAFFOLDING BUILDERS, SHELF BUILDERS AND RAILING INSTALLATION**



### Y-CONNECTOR

Art No. 0899032015

- For attachment on alternating sides
- For simple, fast securing on pipes with max. dia. 59 mm
- Via a large pipe carabiner made from steel
- Length: 1.5 m
- Max Load: 100 kg

**ENABLES OPTIMUM SECURING DURING CLIMBING AND ALL WORK WITH CHANGING WORKING POSITIONS (LATTICE PYLONS, SHELF CONSTRUCTION ETC.)**



### CONNECTOR WITH FALL ARRESTOR BELT FOR SCAFFOLDING

Art No. 0899032052

- For fast, easy attachment to pipes and scaffolding up to max. Ø 59 mm via a large, aluminium pipe carabiner
- Tested on sharp edges
- Length: 2 m
- Max. load capacity: 100 kg

**IDEAL FOR LONGITUDINAL FAÇADE SCAFFOLDING**





## HYGIENE

### SANITISER MULTISAN D 80

- Sanitiser for cleaning and disinfecting the hands.
- Ready for use for cleaning and disinfecting the hands
- Tested against micro-organisms
- Gentle on the skin
- Dermatologically tested

Art. No.	Volume
0890600316	1 L
0890600306	5 L



### DISPENSING PUMP

Art No. 08919011

- For 4000 ml bucket of hand cleaner
- The pressure pump transports the hand cleaner as soon as the pump is pressed
- Single pump action dispenses a precise amount (6 cm<sup>3</sup>)
- Total height: approx. 40 cm

### WALL BRACKET

Art No. 08919002

- For wall mounting of the hand cleaner 4.5 litre bucket



### DISPENSER SYSTEM

Art No. 0891901

#### Scope of delivery:

- 1 x pressure pump
- 1 x wall bracket with screws and anchors

**RM 180**

### HAND CLEANER, STANDARD NATURAL, 4L

Art No. 0893900000

- Microplastics-free hand cleaner for medium to heavy soiling with natural perlite exfoliating agents
- Skin-friendly
- Cleans and protects
- High proportion of substances with prophylactic effect prevent skin irritation
- pH-neutral and soap-free
- Dermatologically tested
- Prevents drains from becoming clogged
- Alkali-free and silicone-free



## HYGIENE

### WASTE BAG, 120L

Art No. 0899800550

- Without pulling strap
- Made from selected recycled granulate
- State-of-the-art manufacturing methods for consistent high quality
- Super tear-resistant and puncture-proof LDPE film, suitable for various requirements or applications



### CLEANING PAPER ROLL, 1000 SHEETS

Art. No.	Version
0899800773	2 Ply
0899800823	3 Ply

- 36 x 38 cm
- Fits all common dispensers
- Virtually lint-free
- Food-safe



**HIGHLY ABSORBENT & TEAR-PROOF**

### CLEANING PAPER HOLDERS

Art. No.	Version
0899800606	Floor Stand
0899800607	Wall Holder

- Stable and durable
- Suitable for all common wiper and cleaning rollers



Cutter



Waste bag holder

**EQUIPPED WITH CUTTING TEETH FOR PAPER ROLL & WASTE BAG HOLDER**

## MICROACTIVE CLOTH PROFESSIONAL, 36 x 32CM

**Art No. 0899900107**

- Microactive cloth for professional maintenance cleaning and vehicle valeting.
- Extremely effective cleaning power
- Cleans without using cleaning agents
- Extremely fine, strong fibres
- Loopless - Does not leave behind scratch marks
- Washable up to 60°C



## MICROACTIVE TOWEL, 60 x 150 CM

**Art No. 0899900172**

- High-quality and soft microfibre cloth sucks up water brilliantly
- The thick pile has high water absorption up to 500%
- The plush structure takes up to 5 times its own weight in water
- Suitable for fast, easy and gentle drying and high-gloss polishing
- Leaves no scratch marks and is very gentle




## MICROACTIVE CLOTH 3D CLEAN, 40 x 40 CM

**Art No. 0899900141**

- The special edge of the highly absorbent microfibre cloth guarantees gentle cleaning of all painted surfaces and ensures the cloth has a long service life
- Extremely high level of water absorption
- Lint-free, Scratch-free, Streak-free



**HONEYCOMB STRUCTURE PROVIDES HIGH PERFORMANCE POLISHING & CLEANING**



# PERSONAL PROTECTIVE EQUIPMENT #01

Wuerth Malaysia Sdn Bhd  
Lot 35, Jalan Delima 1/3,  
Subang Hi-Tech Industrial Park,  
40000 Shah Alam, Selangor.  
T +60 3 58888 420  
inquiry@wuerth.com.my  
www.wuerth.my

We reserve the right, at any time without prior notice or notice, to make any product changes that we feel necessary. Images may be for illustration purposes only and that might differ in appearance from the delivered goods. All products and items are whilst stock last. We reserve the right for misprints where we assume no liability. The General Terms and Conditions apply.



**DOWNLOAD OUR WÜRTH E-SHOP APP NOW!**



wurthmalaysia

AVAILABLE ON BOTH APPLE APP STORE AND GOOGLE PLAY STORE