

# PRODUCT ZOOM #07

Valid from 1 Feb 2021 to 28 Feb 2021



## CORDLESS SCREWDRIVER AS 4

Art No. 57013000

- Handy, compact cordless screwdriver with five torque settings for screwing
- Screws can be adjusted manually during manual operation
- Electronic brake stops the motor immediately when the screwdriver is switched off, which prevents the screw head from over-twisting
- Mechanical coupling with 5 torque settings and maximum power mode enables precise work for the respective screw size
- Easy to use thanks to the "Push&Go" function
- Very compact & ergonomic design with low weight enables working in a wide range of positions



## 1/4 INCH SOCKET WRENCH SET "MINI"

Art No. 0965014500

- Very short socket wrench bit sets, especially suitable for work in confined areas.
- Surface: Zinc phosphated
- Drive: 1/4 inch square drive, ball catch groove
- Geometry: Extra short, 19.5 mm

Contains 50 pieces:

- 10 x TX 10/15/20/25/27/30/40/45/47/50,
- 8 x TX IP 10/15/20/25/30/40/45/50,
- 6 x TX IPR 20/25/27/30/40/45,
- 10 x hex, metric, 2/2,5/3/4/5/6/7/8/9/10,
- 4 x hex, inch, 7/32 inch, 1/4 inch, 5/16 inch, 3/8 inch,
- 7 x XZN 5/6/7/8/9/10/12,
- 3 x PH 1/2/3, 2 x slot 6/10



## BIT BOX, 12 PCS

Art No. 0614250012



Contents: 12 pieces

- Slotted bit 0.8 x 5.5 mm; Length: 25 mm
- Phillips bit PH1; Length: 25 mm
- Phillips bit PH2; Length: 25 mm
- Pozidriv bit PZ1
- Pozidriv bit PZ2
- Universal holder E 6.3 (1/4)
- Hexagon socket bit 4 mm; Length: 25 mm
- Hexagon socket bit 5 mm; Length: 25 mm
- TX bit 15; Length 25 mm
- TX bit 20; Length 25 mm
- TX bit 25; Length 25 mm

## BIT BOX, 31 PCS

Art No. 0614250030

Contents: 31 pieces

- 1 Slotted bit 0.6 x 4.5 mm; Length 25 mm PH, TX bits
- 1 Slotted bit 0.8 x 5.5 mm; Length 25 mm
- 1 Slotted bit 1.2 x 6.5 mm; Length 25 mm
- 2 Phillips bit PH1; Length 25 mm
- 2 Phillips bit PH2; Length 25 mm
- 2 Pozidriv bit PZ1
- 3 Pozidriv bit PZ2
- 1 Hexagon socket bit 3 mm; Length 25 mm
- 1 Hexagon socket bit 4 mm; Length 25 mm
- 1 Hexagon socket bit 5 mm; Length 25 mm
- 2 TX bit TX10; Length 25 mm
- 1 TX bit 15; Length 25 mm
- 2 TX bit 20; Length 25 mm
- 2 TX bit 25; Length 25 mm
- 2 TX bit 30; Length 25 mm
- 1 TX bit 40; Length 25 mm
- 1 AW® bit 10; Length 25 mm
- 2 AW® bit 20; Length 25 mm
- 1 AW® bit 25; Length 25 mm
- 1 AW® bit 30; Length 25 mm
- 1 1/4 inch bit holder, magnetic



## BIT ASSORTMENT, 105 PCS

Art No. 0614250300



Contents: 105 pieces

- 14 TX bits with hole
- 9 PH, TX bits
- 8 hex bits
- 7 PZ hex bits with hole
- 6 tri-wing spanner bits
- 5 slotted AW bits
- 4 hex bits Imperial, multi-tooth XZN, Ribe, square
- 3 bits each of Torq, Clutch, 5-star with hole
- 1 screw hook
- 1 bit adapter
- 1 magnetic bit holder

## DRILL BM 13-CLASSIC

Art No. 5717025110

**master**

Sturdy 13mm metal keyed drill chuck Provides long service life

Clockwise/anti-clockwise rotation

- 650 W powerful and compact drill for fast drilling in wood , aluminium and metal
- Ergonomic design - Excellent power to weight ratio
- Soft grip handle - Ensures great comfort in the course of operation

Variable speed trigger control

Allows the device to be matched with a number of drill bits and materials

Push button trigger lock

Easy set for continuous operation


Technical Information	
Protection class	Protection class II/protective insulation
Power input	650 W
Power output	0 W
Max. rotation speed at nominal load	0 rpm
Max. torque	35 Nm
Min./max. drill chuck span width	1.5-13 mm
Max. drilling diameter in steel/ stainless steel	10 mm
Weight of machine	1.65 kg
Cable length	2.5 m

## TWIST DRILL ASSORTMENT HSS DIN 338 TYPE RN 130°

Contents	No. of pieces	Art. No.
<ul style="list-style-type: none"> <li>• 1 drill bit each 1.0 - 10mm</li> <li>• 0.5mm intervals</li> </ul>	19 pcs	<b>062400001</b>
<ul style="list-style-type: none"> <li>• 10 each dia 1.0 - 6.0mm</li> <li>• 5 each dia. 6.5 - 10.5mm</li> <li>• 0.5mm intervals</li> </ul>	155 pcs	<b>5964624020</b>



- Steel precision drill for general, broad applications in steel up to 850 N/mm<sup>2</sup> strength and cast iron.
- 20% less infeed force compared to conventional drills
- Faster work progress and less expenditure of effort
- Optimised cross thinning
- Highly accurate tapping without centring, even on curved surfaces
- Optimum cross-grinding
- Ideal for producing core drill holes
- Highly precise tip grinding for precise drilling
- Excellent adhesion of cooling lubricants
- Reduced tendency towards build-up
- Vaporised surface



## TWIST DRILL BIT ASSORTMENT DIN338 HSCO

Contents	No. of pieces	Art. No.
• Ø 1,0 - 10,0 x 0.5 mm	19 pcs	<b>0617400001</b>
• Ø 1,0 - 13,0 x 0.5 mm	25 pcs	<b>0617400004</b>



- Assembly drill for quick working in steel & stainless steel, tip angle 130°.
- Quick drilling - Web thinning ensure less friction during drilling and therefore less feed force needed.
- The sturdy point grinding with short designed working length enable quick drilling by using cordless and wired drill at construction site and in assembly.
- Highly efficient chip removal.
- Self-centering - The crosswise grinding ensures an excellent centering effect even on domed surfaces, eliminating the need for center-punching or piloting.

## TWIST DRILL BIT ASSORTMENT HSS DIN 338 SMART STEP

Contents	No. of pieces	Art. No.
• Ø 1,0 - 10,0 x 0.5 mm	19 pcs	<b>0624930001</b>
• Ø 1.0-13.0 x 0.5 mm	25 pcs	<b>0624930004</b>



- The manually operated high-performance drill with unique SMART STEP technology (from dia. 2.5 mm) for high-precision circular drill holes in steel up to 1000 N/mm<sup>2</sup>, aluminium, plastic, non-ferrous metals, hard and soft wood.
- The first twist drill with stepped drill bit tip geometry (from dia. 2.5 mm)
- Extremely convenient drilling
- 3-face shank (from dia. 4 mm)



**HIGHLY PRECISE CIRCULAR HOLES**




## DRILL/SCREWDRIVER SET RW EDITION 2020, 31 PCS

**Art No. 0624932020**

- The first twist drill with stepped drill bit tip geometry, exclusively available at Würth
- For steel up to 1000 N/mm<sup>2</sup>, aluminium, plastic, non-ferrous metals, hardwood & softwood
- Precise circular holes without centre-punching
- Saves pre-drilling, precise spot drilling without running off centre
- Tilted drilling possible
- Simple core drilling or enlarging an existing drill hole
- Perfect for drilling out rivets and stud bolts - Ideal for window construction

Content: 31 pcs

- Twist drill HSS DIN 338 SMART STEP 4, 5, 6, 8, 10 mm
- TX bit TX10, TX15, TX20, TX 25, TX30
- Hexagon socket bit 3, 4, 5 mm
- AW® bit 10, 20, 25, 30, 40
- Phillips bit PH1, PH2, PH3
- Pozidriv bit PZ1, PZ2
- Slotted bit PZ3
- 1/4 inch socket wrench insert, set



## EXTRACTION DRILL BIT PLUS QM

- Modular hammer drill bit featuring a symmetrical head with four cutting edges and bayonet-click connection for drilling and suction in one operation.
- **Dust-free drilling** - The dust is extracted from the drill hole as soon as it is created, No subsequent borehole cleaning necessary
- **Very good compatibility with reinforcements** - The symmetrical 4 x 90° cutting edge geometry and the patented reinforcement chamfers prevent the drill bit from hooking in or running off centre when striking e.g. reinforcements.
- One-piece tungsten carbide element for high stability thanks to the maximised attachment surface with the steel body.
- **Bayonet-click connection** - Quick and easy drill change from the suction unit.
- **Drill depth indicator** - Adapted to the drill diameter. For plastic anchors.
- **Precise drilling** - The special self-centring tip enables precise tapping.



Diameter	Art. No.
5 mm	<b>0648045015</b>
6 mm	<b>0648046015</b>
8 mm	<b>0648048015</b>
10 mm	<b>0648041015</b>
12 mm	<b>0648041215</b>

## SUCTION UNIT FOR EXTRACTION DRILL BIT PLUS QM

Art No. 0648040000

- Suction unit with bayonet-click connection for suction drill Plus QM
- Flexible, one-piece rubber extraction adapter
- Quick and easy drill change through bayonet-click connection
- Suitable for all common, certified vacuums in dust class M



## BUSHING TOOL

Art No. 0993647001

- With SDS-MAX mounting shank
- For use in chisel hammers with SDS-MAX mounting shank
- For removing excess concrete
- For roughening up surfaces



## 1/4-INCH TORQUE WRENCH

Art No. 071471 20

- With switchover square drive
- Accuracy of  $\pm 3\%$  to the set value, to ISO 6789:2003
- Simple and precise setting by turning the handle
- With fine-toothed ratchet head (72 teeth) for working in the tightest places
- Scaling in Nm and also in pound force per square foot
- Acoustic and tangible torque triggering prevents over-tightening of bolts
- With calibration certificate



## BLOW-OUT PUMP

Art No. 0903990001

- For "blow-out" drill-hole cleaning
- MAC = manual air cleaning (cleaning of drill hole with hand-held blow-out tool)
- Blow-out tube diameter: 9 mm
- For a nominal bore diameter of 10 mm, we recommend the "blow-out pump reducer attachment" (reduces the diameter of the blow-out tube to 8 mm)





## RUST REMOVER BOLTEX, 250ML

Art No. 0893250250

- Mineral oil-free, high-tech rust remover with KENA® microfluid formula for loosening seized connections and for cleaning surface rust and rust spots
- Slow flash-off
- Effective over several hours without losing loosening power
- Intelligent 2-in-1 spray head
- Precise spraying for economical dispensing
- Spray the entire area to clean the surface
- Loosens rust from the surface
- Effective at penetrating rusted connections
- Simplifies loosening seized bolts and nuts



SCAN  
FOR  
VIDEO



## MULTI-PURPOSE LUBRICANT ULTRA 2040, 500ML

Art No. 0890085500

- Lubricant, penetrating and water displacing agent
- Loosens seized and rusted parts
- With PTFE and 360° valve
- Silicone-free
- Removes moisture from electrical systems
- Strong water displacement effect



## SILICONE SPRAY GREASE, 500ML

Art No. 0893223

- Glass-like transparent, extremely lubricating and insulating silicone grease that displaces water
- Good moisture and corrosion protection due to extremely good water-displacing effect
- Excellent sliding and lubricating properties on almost all surfaces
- Very high level of electrical resistance
- Excellent insulating effect
- Free from acids and resin
- Colour: Transparent when sprayed on; a cloudy glass-like film remains once it has flashed off



## ACTIVE GLASS CLEANER, 500ML

Art. No. 089025

- Cleaning foam for glass and smooth surfaces
- Stable - No running on vertical surfaces
- Extremely high degree of cleaning
- Outstanding dirt dissolving power
- Gentle on materials
- Paints, rubber and plastics are not attacked

FREE MICROACTIVE CLOTH

Art No. 0899900107



12  
PCS



## TABLE TROLLEY WITH COLLECTION TRAY

Art No. 0962400215

- Steel tube, Ø 26.9 x 1.75 mm
- Rollers with solid rubber tyres and roller bearing, zinc-plated housing
- Locking device on the steering rollers in accordance with European Standard EN 1757-3
- With collection tray (60 litres) for transporting dirty, oily and greasy objects such as oil filters, tools, spare parts etc.
- Integrated drain valve, 1/4 inch
- Tray is tapered to the drain valve
- Zinc-plated grating, mesh size 30 x 30 mm



## TABLE TROLLEY FOR STEEL PIPES, FLUSH LOADING AREA

Art No. 0962400216

- Steel tube Ø 26.9 x 1.75 mm
- Rollers with solid rubber tyres and roller bearings, galvanised housing
- Steering rollers with locking device in line with European standard EN 1757-3
- Loading platform made from beech-effect wooden panel board (MDF)



## WAREHOUSE TROLLEY

Art No. 0962400301

- With loading surface made of wooden plate (MDF) with beech surface decor
- Steel tube Ø 26.9 x 1.75 mm
- Rollers with solid rubber tyres and roller bearings, galvanised housing
- Steering rollers with locking device in line with European standard EN 1757-3
- Load Capacity: 400 kg



## PUSH HANDLE TROLLEY

Art No. 0962400331

- With loading surface made of wooden plate (MDF) with beech surface decor
- Steel tube  $\varnothing$  26.9 x 1.75 mm, welded on base frame
- Rollers with solid rubber tyres and roller bearings, galvanised housing
- Steering rollers with locking device according to European standard EN 1757-3
- Profile steel frame made of angular steel and square tubing



## FOLDING TROLLEY

Art No. 0962400351

- The practical push handle can be folded onto the platform, allowing the trolley to be stowed to save space.
- Rollers with blue-grey solid rubber wheels and roller bearings
- Galvanised housing
- Steering rollers with locking device according to European standard EN 1757-3
- Loading surface made from beech-effect wooden panel board (MDF)



## MOBILE ASSEMBLY WORKBENCH MW

Art No. 0962610113

- Solid sheet metal design
- External dimensions incl. handle (W x D x H): 1260 x 925 x 600 mm
- Total load: 450 kg
- Working height: 885 mm
- Central locking with cylinder lock for drawers and door
- Each drawer is secured against opening by itself
- Roller-mounted partially extending drawers, loadable up to 30 kg
- Robust side handle
- Wheels produced from rubber, steering wheels  $\varnothing$  125 mm (two with locking brake), running wheels  $\varnothing$  125 mm
- Solid copper beech panel, bar type, glued, oiled
- Dimensions of worktop: 1200 x 25 x 600 mm (W x H x D)



## WORK TABLE BASIC, FIXED

Art No. 0957506202

- Universal workbench, e.g. for assembly work
- Sturdy sheet-steel construction, multiple edges
- Cross-strut between the bases for increased stability
- Load capacity of worktop 500 kg (with evenly distributed load)
- Width x depth x height: 2000 x 750 x 840 mm
- Material of the tabletop: Beech multiplex
- Surface: Powder-coated
- Material: Sheet steel



## WORKBENCH BASIC WUSK, FIXED

Art No. 0957506231

- Robust workbench with BASIC undercounter drawer box for storing tools and other working materials.
- Robust sheet steel construction, welded with multiple edges
- Central locking system secures contents against theft
- Aluminium handle strip with labelling strips & transparent cover
- Built-in safety drawer lock prevents tipping
- Internal drawer dimensions (W x D): 435 x 512 mm
- Drawer capacity: 100 kg with an evenly distributed load
- Width x depth x height: 1500 x 750 x 840 mm
- Load capacity: 500 kg



## CART 1000

Art No. 0962200221

- With universal rail for storage boxes in sizes 3/4. Ideal for workshops, trade businesses and industry for storage of small and/or spare parts.
- Optimal storage space arrangement through colour-coded grouping of storage boxes
- Optimised access at installation locations
- 2 fixed castors and 2 steering rollers with stop
- Simple assembly
- Load capacity 300 kg
- Sheet steel, galvanised



## CART 1500

Art No. 0962200241

- With universal rail for storage boxes in sizes 2/3/4. Ideal for workshops, trade businesses and industry for storage of small and/or spare parts.
- Optimal storage space arrangement through colour-coded grouping of storage boxes
- Optimised access at installation locations
- 2 fixed castors and 2 steering rollers with stop
- Simple assembly
- Load capacity 300 kg
- Sheet steel, galvanised

## HAND CLEANER N-PLUS

- Microplastics-free hand cleaner for medium to heavy soiling with natural perlite exfoliating agents
- 4L - For dispenser system art. no. 0891901
- Skin-friendly
- Cleans and protects
- High proportion of substances with prophylactic effect prevent skin irritation
- pH-neutral and soap-free
- Prevents drains from becoming clogged
- Alkali-free and silicone-free
- Smell/fragrance: Lemon
- Colour: Grey
- pH value / conditions: 4.8 / undiluted
- Period of use after opening: 12 Month



Volume	Art. No.
350 ml	<b>0893900012</b>
4 L	<b>0893900001</b>

## SANITISER MULTISAN D 80

- Sanitiser for cleaning and disinfecting the hands.
- Dermatologically tested.
- Ready for use for cleaning and disinfecting the hands
- Tested against micro-organisms
- Gentle on the skin
- Dermatologically tested
- Active substances are listed in accordance with EN 1062/2014
- Compliant with PN-EN 1276/2010 standard
- The dermatological report complies with EN 1223/2009



**MULTIPURPOSE SANITISER  
CAN BE USED FOR DISINFECTING HANDS  
OR ITEMS/SURFACES**

Volume	Art. No.
1 L	<b>0890600316</b>
5 L	<b>0890600306</b>



### DEODORISER QUICK FRESH ACTIVE, 100ML

Art No. 0893764650

- For effective elimination of odours from vehicle interiors and air-conditioning units in vehicles
- User-friendly
- Reduces unpleasant odours
- Long-lasting effect with antibacterial silver ions
- Has a preventive effect against bacteria
- No laborious disassembly work on the evaporator and interior
- No additional manual for specific work steps required
- Universal, flexible and mobile
- Same process for all vehicle types
- Flexible in application, mobile in use
- Enhanced value creation
- Chargeable unit – one can for one application
- With long-lasting fresh scent
- AOX and silicone-free
- Water-based



### AIR QUICK FRESH ACTIVE, 150ML

Art No. 0893764155

- For effectively preventing and eliminating the interior odors
- Prevent and eliminate unpleasant odors such as cigarette smoke, perspiration and food smells
- Environmentally friendly and gentle in action
- Quickly and safely kills 99.9% of microorganisms
- Removes formaldehyde and other harmful gases



Smell	AOX Free	Art. No.
Fresh	No	<b>0893764158</b>
Odourless	Yes	<b>0893764155</b>

## PERSONAL HYGIENE KIT 21 PCS

Art No. 089921003

- Contents:
- 10 personal hygiene masks
- Latex-free, for single use, hypoallergenic
- Personal hygienic cleaner
- Hand and surface cleaner, skin friendly
- 10 hygienic cleaning cloths
- Fits in a pocket, single use



## DISPOSABLE GLOVES NITRILE BLACK, 100 PCS

- Liquid-tight disposable nitrile glove, thick version
- Food-safe
- Silicone-free manufacturing process
- Powder-free
- Latex-free
- Reversible
- Full textured

Size	Art. No.
M	<b>0899470398</b>
L	<b>0899470399</b>

## DUNLOP S5 RUBBER SAFETY BOOTS

- Practical and functional rubber safety boots with impressive resistance to various chemicals.
- Robust PVC rubber boots
- Protective steel toe caps, steel anti-perforation protection
- Non-slip SRA PVC sole
- Resistant to special oils/greases, disinfectants, chemicals
- Comfort width 11 (wide fit)
- Shaft height 35 cm
- Approx. 1190 g per shoe in size 42

Size	Art. No.
38	<b>M423008038</b>
39	<b>M423008039</b>
40	<b>M423008040</b>
41	<b>M423008041</b>
42	<b>M423008042</b>
43	<b>M423008043</b>



## SELF-IGNITING GAS SOLDERING UNIT WGLG 100

Art. No. 0984990100

- Convenient piezo ignition
- Continuously adjustable power level
- Includes protective cap
- Includes accessories
- Min./max. power: 30-100 W
- Gas intake capacity: 20 ml
- Length x width x height: 235 x 30 x 35 mm

**CAN BE USED AS A SOLDERING IRON OR A HOT-AIR GUN**



## E-SHOP PROMOTION

Only valid on the Wuerth Online Shop

**PURCHASE A TOTAL OF RM500 ON THE E-SHOP & GET 10 FREE PACKS OF ANG POW (5PCS/ PACK) + 2 FREE WURTH LIGHTERS**



**VOUCHER CODE: HUAT**

# PRODUCT ZOOM #07

Wuerth Malaysia Sdn Bhd  
Lot 35, Jalan Delima 1/3,  
Subang Hi-Tech Industrial Park  
40000 Shah Alam, Selangor.  
T +60 3 58888 420  
inquiry@wuerth.com.my  
www.wuerth.my

We reserve the right, at any time without prior notice or notice, to make any product changes that we feel necessary. Images may be for illustration purposes only and that might differ in appearance from the delivered goods. All products and items are whilst stock last. We reserve the right for misprints where we assume no liability. The General Terms and Conditions apply.

## ANGPOW PACK , 5PCS Art. No. 0WGE500020



+

## WURTH LIGHTER (CNY EDITION), 2 PCS Art No. 0WGE217419



For every purchase of RM100

## DRILL/SCREWDRIVER SET RW EDITION 2020, 31 PCS Art No. 0624932020



Minimum purchase RM 2000

## LAPTOP BACKPACK Art No. 0715930602



or

## TRAVEL BAG Art No. 0715930603



Minimum purchase RM 2500

Free item for any purchase of products from this promo with a minimum value

DOWNLOAD OUR WÜRTH E-SHOP APP NOW!



wuerthmalaysia

AVAILABLE ON BOTH APPLE APP STORE AND GOOGLE PLAY STORE