

PRODUCT ZOOM #08

Valid from 1 March 2021 to 31 March 2021



POINTED, FLAT AND SPADE CHISEL MULTIPACK PLUS LONGLIFE & SPEED HPP

Art No. 0648880002

Scope of delivery:

- 1 x point chisel, max LL&SP HPP, length: 400 mm
- 1 x flat chisel, max LL&SP HPP, length: 400 mm and width 25 mm
- 1 x spade chisel, max LL&SP HPP, length: 380 mm and width 50 mm



POINTED, FLAT AND SPADE CHISEL MULTI- PACK MAX LONGLIFE & SPEED HPP

Art No. 0647880002

Scope of delivery:

- 1 x point chisel, max LL&SP HPP, length: 400 mm
- 1 x flat chisel, max LL&SP HPP, length: 400 mm and width 25 mm
- 1 x spade chisel, max LL&SP HPP, length: 380 mm and width 50 mm



POINT AND FLAT CHISEL SET MAX LONGLIFE & SPEED HPP

Art No. 0647880001

Scope of delivery:

- 3 x point chisel, max LL&SP HPP, length: 400 mm
- 3 x flat chisel, max LL&SP HPP, length: 400 mm and width 25 mm



POINT AND FLAT CHISEL SET PLUS LONG LIFE AND SPEED, HPP

Art No. 0648880001

Scope of delivery:

- 3 x point chisel, Plus LL&SP HPP, length: 250 mm
- 3 x flat chisel, Plus LL&SP HPP, length: 250 mm and width 20 mm



Innovative power edge design: additional refractive edges

- Increased power and noticeably higher removal rate
- Significantly reduced friction and proactive anti-binding

Self-sharpening design

- More removal in the shortest time
- Consistently high wear performance over the entire service life
- Economical working without downtime

Extended working range for point and spade chisels

- Longer service life

STRAIGHT GRINDER GS 700-E

Art No. 07025200

master



Scope of delivery

- 1 x Collet chuck for straight grinder
- 1 x Wrench
- 1 x Handle

Technical Information

Nominal voltage	230 V/AC
Power input/output	710W/430 W
Min./max. idle speed	13000-34000 rpm
Collet chuck diameter	6 mm
Clamping neck diameter	43 mm
Weight of machine	1.7 kg
Cable length	4 m

STRAIGHT GRINDER GSL 950-E POWER

Art No. 07025220

master



Scope of delivery

- 1 x Collet chuck for straight grinder
- 1 x Wrench
- 1 x Handle
- 1 x Protective rubber cap

Technical Information

Nominal voltage	230 V/AC
Power input/output	950W/510 W
Min./max. idle speed	2500-8700 rpm
Collet chuck diameter	6 mm
Clamping neck diameter	43 mm
Weight of machine	2 kg
Cable length	4 m

- **For use in hard-to-reach areas** - Lightweight collar design
- **Safety cut-out** - If the tool blocks, the power supply is interrupted immediately
- **Restart protection** - To prevent an accidental restart of the tool
- **Thermal overload protection** - Cut-out carbon brushes for protecting the motor
- **Long service life** - Insensitive to dust with coated field coil and winding protective grille



CERAMIC ABRASIVE GRAIN FLAP WHEEL

Ideal for producing decorative surfaces


- With ceramic abrasive grain, it is possible to produce a striking grinding finish.

High material removal rate and minimal depth of roughness with long service life

- Ceramic abrasive flaps ensure optimal end results

Ideal in confined spaces

- Easily resettable synthetic resin core for best results in confined spaces without damaging work piece being machined.



MATting BODY CERALINE

Art No. 0672408066

- Specially designed for processing stainless steel.
- Removal of minor scratches, virtually shoulder-free matting and burnishing and for matching "pre-sanded" metal sheets.
- For effective surfaces, cleaning oxide coatings and removing discolouration.



Art No.	0672210851	0672210856
Grid Size	120	60
Diameter x width x shaft diameter	80 x 50 x 6 mm	
Material of abrasive medium	Ceramic grain	
Material to be processed	Stainless steel Hardened steel Cast metal Higher strength steel Zinc Injection-moulded zinc	
Recommended rotation speed	4800 rpm	
Max. rotation speed	9500 rpm	


Technical Information	
Diameter x width x shaft diameter	80 x 50 x 6 mm
Design	Extra-coarse
Max. ecommended rotation speed	5000 rpm
Max. rotation speed	7000 rpm

PLASTIC MULTI-PURPOSE DOWEL SHARK® PRO READY-TO-FIX ASSORTMENT


Art No. 5964906205

Contents:

- 50 x ASSY® D Plug screw AW® 30 6 x 60/52 mm
- 25 x ASSY® D Plug screw AW® 40 8 x 70/60 mm
- 100 x ASSY® D Plug screw AW® 20 4,5 x 50/44 mm
- 1 x Hammer drill bit Plus Quadro-L Vario D6,0-L165-WL100MM
- 1 x Hammer drill bit Plus Quadro-L Vario D8,0-L165-WL100MM
- 100 x Plastic multi-purpose dowel SHARK® Pro 6 x 35 mm
- 50 x Plastic multi-purpose dowel SHARK® Pro 8 x 46 mm
- 25 x Plastic multi-purpose dowel SHARK® Pro 10 x 56 mm



355 PCS



PLASTIC MULTI-PURPOSE ANCHOR SHARK®PRO ASSORTMENT


Art No. 5964590600

Contents:

- 200 x Plastic multi-purpose dowel SHARK® Pro 5 x 28 mm
- 200 x Plastic multi-purpose dowel SHARK® Pro 6 x 35 mm
- 100 x Plastic multi-purpose dowel SHARK® Pro 8 x 46 mm
- 100 x Plastic multi-purpose dowel SHARK® Pro 10 x 56 mm
- 20 x Plastic multi-purpose dowel SHARK® Pro 12 x 66 mm



620 PCS




METAL CAVITY ANCHOR W-MH ASSORTMENT


Art No. 5964090300

Contents:

- 1 x Manual mounting pliers
- 100 x Metal cavity anchor W-MH/L pan head screw M4 x 47 mm
- 50 x Metal cavity anchor W-MH/L pan head screw M5 x 49 mm
- 50 x Metal cavity anchor W-MH/L pan head screw M6 x 49 mm



201 PCS



TAPPING SCREW, PAN HEAD WITH COLLAR DELTA SEAL BLACK ASSORTMENT



Art No. 5964013401

Contents:

- 100 tapping screws 3.9 x 9.5 / 3.9 x 13 / 3.9 x 16 / 3.9 x 19 mm
- 50 tapping screws 3.9 x 22 / 3.9 x 25 mm
- 100 tapping screws 4.2 x 9.5 / 4.2 x 13 / 4.2 x 16 / 4.2 x 19 mm
- 50 tapping screws 4.2 x 22 / 4.2 x 25 mm
- 100 tapping screws 4.8 x 9.5 / 4.8 x 13 / 4.8 x 16 / 4.8 x 19 mm



1500 PCS



CHIPBOARD SCREWS ASSY® 3.0 WITH COUNTERSUNK HEAD ASSORTMENT



Art No. 5964017000

Contents:

- 250 x ASSY® 3.0, blue galvanised, Particle board screw 3x20 mm, 3x25 mm, 3,5x16 mm, 3,5x20 mm
- 200 x ASSY® 3.0, blue galvanised, Particle board screw 3x30 mm
- 125 x ASSY® 3.0, blue galvanised, Particle board screw 3,5x25 mm, 3,5x30 mm
- 100 x ASSY® 3.0, blue galvanised, Particle board screw 3,5x35 mm, 4 x 30 mm; Countersunk head, 4x35 mm
- 75 x ASSY® 3.0, blue galvanised, Particle board screw 3,5x40 mm, 4x40 mm
- 50 x ASSY® 3.0, blue galvanised, Particle board screw 4x45 mm, 4x50 mm, 4,5x50 mm



2102 PCS




PIAS® DRILLING SCREWS, PAN HEAD ASSORTMENT



Art No. 5964020600

Contents:

- 100 x Drilling screw, flat head with AW drive pias® 3,5x13 mm, 3,5x16 mm, 3,5x19 mm, 3,5x9,5 mm, 3,9x13 mm, 3,9x16 mm, 3,9x19 mm, 3,9x25 mm, 4,2x13 mm, 4,2x16 mm, 4,2x19 mm, 4,2x25 mm, 4,8x13 mm, 4,8x16 mm, 4,8x19 mm, 4,8x25 mm
- 1 x AW® bit AW 10/ 20/ 30



1603 PCS




PLASTIC ANCHOR WITH COMBI SCREW ASSORTMENT


Art No. 5964025101

Contents:


- 100 x WÜPOFAST®, blue galvanised Particle board screw 3,5x35, 3,5x40
- 50 x WÜPOFAST®, blue galvanised Particle board screw 4,5x40, 4,5x50, 6x50, 6x60
- 100 x Nylon anchor 5x25, 6x30
- 50 x Nylon anchor 8x40
- 100 x Plastic multi-purpose Zebra Shark® anchor without collar 5x31, 6x36
- 50 x Plastic multi-purpose Zebra Shark® anchor without collar 8x51



CONCRETE,
HOLLOW
BRICK WALL
& GYPSUM
PLATE



900 PCS



PLASTIC HOSE CONNECTOR ASSORTMENT

Art No. 5964050000

Contents:

- 10 x hose connector, straight for Ø 3 mm, Ø 4 mm, Ø 5 mm, Ø 6 mm
- 5 x hose connector for straight reducer connection piece 4-3 mm
- 5 x T-reducer connection piece 3-4-3 mm
- 10 x hose connector for hose - Ø 3 mm, Ø 4 mm, Ø 5 mm, Ø 6 mm
- 5 x hose connector for straight reducer connection piece 6-4 mm
- 10 x T-reducer connection piece 4-6-4 mm



155 PCS




WEDGE LOCK WASHER WITH ASSORTMENT OF N ARROW/WIDE VERSIONS

Art No. 5964040100

Contents

Wedge lock washer		Qty
Wide Shape	Narrow Shape	
M4	M4	50
M5	M5	50
M6	M6	50
M8	M8	50
M10	M10	25
M12	M12	25



500 PCS



SEALING RING ASSORTMENT

Art No. 5964046000

Contents:

- DIN 7603 - flat seals on static surfaces
- They are used to seal static screw pipe connections
- Copper rings can be used anywhere (except in the presence of some strong acids) due to their corrosion resistance
- Shape A = flat seal
- Heat-resistant up to max. +300°C



1350 PCS



DEUTSCH DT SERIES ASSORTMENT

Art No. 5964055520

Contents:



- 5 x Pin housing Deutsch DT Series Number of contacts 2/3/4/6/8/12 PCS
- 5 x Socket housing Deutsch DT Series Number of contacts 2/3/4/6/8/12 PCS
- 50x Sealing stoppers Deutsch DT Series Seal diameter 3.07 mm
- 5 x Wedge lock for pin housing Deutsch DT Series Number of contacts 2/3/4/6/8/12 PCS
- 5 x Wedge lock for socket housing Deutsch DT Series Number of contacts 2/3/4/6/8/12 PCS
- 100 x Socket contact Solid Deutsch DT Series Min./max. wire cross section 0.5-1.3 mm² / 1.3-2.1 mm² / 0.5-1.3 mm² / 1.3-2.1 mm²



570 PCS



CIRCLIPS ASSORTMENT

Details	Art No. 5964043900	Art No. 5964043800
Description	Internal DIN 472	External DIN 471
Pieces	1050	1050
Content	8mm - 30 mm	5 mm - 35 mm
Circlip		



CLAMPING PINS (SLEEVES) ASSORTMENT


- Clamping pin/clamping sleeve - slotted, heavyweight design
- ISO 8752
- Plain spring steel.

Details	Art No. 5964047501	Art No. 5964047500
Pieces	240	1100
Content	40 - 60 mm	20 - 60 mm



CABLE GROMMETS ASSORTMENT

Details	Art No. 5964056100	Art No. 5964056102
Pieces	200	555
Content	<ul style="list-style-type: none"> • 20 x cable grommets 10 x 12 x 18 • 25 x cable grommets 6 x 9 x 11 • 25 x cable grommets 4 x 6 x 9 • 20 x cable grommets 6 x 10 x 14 • 20 x cable grommets 8 x 11 x 16 • 10 x cable grommets 10 x 14 x 18 • 10 x cable grommets 12 x 17 x 20 • 25 x cable grommets 6 x 10 x 13 • 20 x cable grommets 9 x 11 x 16 • 10 x cable grommets 12 x 20 x 24 • 10 x cable grommets 16 x 24 x 30 • 5 x cable grommets 21 x 31 x 38 	<ul style="list-style-type: none"> • 150 x cable grommets 4 x 6 x 9 • 150 x cable grommets 6 x 9 x 11 • 100 x cable grommets 6 x 10 x 13 • 75 x cable grommets 9 x 11 x 16 • 25 x cable grommets 10 x 12 x 18 • 25 x cable grommets 12 x 20 x 24 • 20 x cable grommets 16 x 24 x 30 • 10 x cable grommets 21 x 31 x 33




HEAT-SHRINK CRIMP CONNECTOR ASSORTMENT

Art No. 5964055502

Contents:

- 15 x Heat-shrink crimp butt connector 0.5-1.5 mm² / 1.5-2.5 mm² 0/ 4-6 mm²
- 15 x Heat-shrink crimp ring connector 1.5-2.5 mm²; M5 / 1.5-2.5 mm²; M6 / 1.5-2.5 mm²; M8 / 4-6 mm²; M6 / 4-6 mm²; M8
- 15 x Heat-shrink crimp connector push connector 0.5-1.5 mm²; 6.3 x 0.8 mm / 1.5-2.5 mm²; 6.3 x 0.8 mm
- 15 x Heat-shrink crimp blade connector 0.5-1.5 mm²; 6.3 x 0.8 mm / 1.5-2.5 mm²; 6.3 x 0.8 mm

180 PCS




HIGH-END HEAT SHRINKABLE CRIMP CONNECTORS, ASSORTMENT

Art No. 5964055508

Contents:

- 20 x Heat-shrink cable connector HIGH-END butt connector 0.5-1.5 mm² / 1.5-2.5 mm²
- 10 x Heat-shrink cable connector HIGH-END butt connector 4-6 mm²
- 10 x Heat-shrink cable connector HIGH-END ring connector 0.5-1.5 / 1.5-2.5 / 1.5-2.5 / 1.5-2.5 / 1.5-2.5 / 4-6 mm²
- 5 x Heat-shrink cable connector HIGH-END ring connector 4-6 mm²
- 10 x Heat-shrink cable connector HIGH-END push connector 0.5-1.5 mm² / 1.5-2.5 mm²
- 10 x Heat-shrink cable connector HIGH-END blade connector 0.5-1.5 mm² / 1.5-2.5 mm² / 1.5-2.5 mm²
- 10 x Heat-shrink crimp Y-branch connector butt connector 0.35-0.5 mm² / 0.75-1 mm² / 1.5-2.5 mm²
- 5 x Heat-shrink crimp Y-branch connector butt connector 4 mm²

180 PCS




THIN-WALLED HEAT-SHRINK HOSE ASSORTMENT

Art No. 5964077100

Contents:

- 20 x Thin-walled heat-shrink hose Black; Diameter 2.4 mm / 3.2 mm / 4.8 mm / 6.4 mm / 9.5 mm
- 10 x Thin-walled heat-shrink hose Black; Diameter 12.7 mm / 19.0 mm
- 40 x Thin-walled heat-shrink hose Black; Diameter 25.4 mm

130 PCS




LABELLING ASSORTMENT LABELMANAGER 420P

Art No. 5964069600

Contents:

- Electronic labeller
- Option of connecting to the PC via USB and the supplied software
- 4-line back-lit display showing the selected effects
- Thermal transfer printing
- Label tape width: 6, 9, 12 and 19 mm
- Multi-line printing (up to four lines)
- 7 font heights, 10 font types, 8 borders
- Memory for up to 10 labels
- Adjustable fixed length, multiple copies, continuous enumeration, print preview
- Barcodes (8- and 13-digit EAN and UPC)
- Supplied with a rechargeable lithium-ion battery
- Tapes: Black & White, Yellow, Transparent

111 PCS



1-EAR CLAMP ASSORTMENT


Art No. 5964054100

Contents:

- 40 x One-ear clamp with insert ring 5.2-6.2 / 5.6-6.5 mm / 6.3-7.5 / 7.0-8.5 / 8.0-9.5 / 9.1-10.8 / 9.8-11.8 / 11.1-13.1 mm / 11.8-13.8 mm
- 30 x One-ear clamp with insert ring 12.8-14.8 mm
- 25 x One-ear clamp with insert ring 13.2-15.8 / 14.6-16.8 / 16.5-18.8 mm
- 15 x One-ear clamp with insert ring 18.0-20.3 mm
- 1 x Monier pliers



481 PCS




SCREWLESS HOSE CLAMP ASSORTMENT


Art No. 5964054300

Contents:

- 50 x Screwless hose clamp 8-9 / 8.5-9.5 / 9-10 / 9.5-10.5 / 11-12 mm / 11.5-12.5 / 12.5-14.0 mm
- 40 x Screwless hose clamp 13.5-15.0 mm
- 35 x Screwless hose clamp 14.5-16.0 / 15.5-17.0 mm
- 30 x Screwless hose clamp 16.5-18.0 mm
- 25 x Screwless hose clamp 18.5-20 mm
- 1 x Crimp pliers



511 PCS



CLAMPING JAW HOSE CLAMP ASSORTMENT


Art No. 5964054000

Contents:

- 25 x Hose clamp with clamping jaw 7 mm x 8 mm / 9 mm x 9 mm / 9 mm x 10 mm / 9 mm x 12 mm / 9 mm x 13 mm / 9 mm x 14 mm / 9 mm x 15 mm / 9 mm x 16 mm / 12 mm x 18 mm
- 18 x Hose clamp with clamping jaw 15 mm x 25 mm



243 PCS



WATERTIGHT PLUG HOUSING TE SUPERSEAL 1.5 SERIES ASSORTMENT


Art No. 5964055501

Contents:

- 4 x Waterproof pin housing Number of electrical poles 2/3/4/5/6 PCS
- 4 x Waterproof socket housing Number of electrical poles 2/3/4/5/6 PCS
- 100 x Single wire seal (SEAL) Min./max. diameter of insulation 1.7-2.4 mm / 2.5-3.3
- 100 x Flat connector MINI MIC SRS 1.5 0.75-1.5 mm² / 1.5 0.75-1.5 mm²



440 PCS



Item description	O-RING METRIC ASSORTMENT	O-RING METRIC ASSORTMENT	O-RING IMPERIAL ASSORTMENT
Art. No.	Art No. 5964046800	Art No. 5964046802	Art No. 5964046805
Pieces	1050 PCS	330 PCS	1050 PCS
Content	100 o-rings, 3 x 2 mm 100 o-rings, 4 x 2 mm 100 o-rings, 5 x 2 mm 100 o-rings, 6 x 2 mm 100 o-rings, 7 x 2 mm 100 o-rings, 8 x 2 mm 50 o-rings, 10 x 2 mm 50 o-rings, 10 x 2.5 mm 50 o-rings, 12 x 2.5 mm 50 o-rings, 14 x 2.5 mm 50 o-rings, 15 X 2.5 mm 25 o-rings, 17 x 2.5 mm 25 o-rings, 18 x 3 mm 25 o-rings, 19 x 2.5 mm 25 o-rings, 20 x 3 mm 25 o-rings, 22 x 3 mm 25 o-rings, 24 x 3 mm	50 o-rings, 25 x 3 mm 50 o-rings, 28 x 3 mm 50 o-rings, 30 x 3 mm 25 o-rings, 30 x 3.5 mm 10 o-rings, 32 x 3.5 mm 10 o-rings, 33 x 3.5 mm 25 o-rings, 34 x 3 mm 10 o-rings, 35 x 3.5 mm 25 o-rings, 36 x 3 mm 25 o-rings, 38 x 3 mm 25 o-rings, 40 x 3 mm 25 o-rings, 42 x 3 mm	100 o-rings, 2.90 x 1.78 mm 100 o-rings, 3.69 x 1.78 mm 100 o-rings, 4.47 x 1.78 mm 100 o-rings, 5.28 x 1.78 mm 100 o-rings, 6.07 x 1.78 mm 100 o-rings, 7.66 x 1.78 mm 50 o-rings, 9.19 x 2.62 mm 50 o-rings, 9.25 x 1.78 mm 50 o-rings, 10.78 x 2.62 mm 50 o-rings, 12.37 x 2.62 mm 50 o-rings, 13.95 x 2.62 mm 50 o-rings, 15.54 x 2.62 mm 25 o-rings, 17.13 x 2.62 mm 25 o-rings, 18.64 x 3.53 mm 25 o-rings, 18.72 x 2.62 mm 25 o-rings, 20.22 x 3.53 mm 25 o-rings, 21.82 x 3.53 mm 25 o-rings, 23.40 x 3.53 mm

UNIVERSAL O-RING ASSORTMENT


Art No. 5964764004

Contents:

- 10x O-ring 6.7 x 1.4 mm
- 10x O-ring 7 x 1.5 mm
- 10x O-ring 6.07 x 1.78 mm
- 20x O-ring 7.65 x 1.78 mm
- 10x O-ring 9.25 x 1.78 mm
- 20x O-ring 10.82 x 1.78 mm
- 20x O-ring 14 x 1.78 mm
- 20x O-ring 17.17 x 1.78 mm
- 2x O-ring 10 x 2 mm
- 2x O-ring 17.12 x 2.62 mm
- 2x O-ring 15 x 3 mm
- 12x Seals for Filling Hoses
- 2x Seals for Service Hoses
- 10x Seals for WIGAM Hoses
- 10x Schrader valves, R134a
- 5x Schrader valves, R134a Japan Vehicles



165 PCS



PLUG-IN CONNECTOR ASSORTMENT


Art No. 5964055600

Contents:

- 100 x Wago Micro push-wire connector, screwless Red/ Light grey (bright grey)/ Dark grey
- 100 x ELMO® connection terminal, screwless Compact Transparent | White /Orange / Yellow
- 50 x ELMO® connection terminal, screwless Compact Transparent | Black
- 25 x ELMO® connection terminal, screwless Compact plus Transparent | Red / Yellow
- 50 x ELMO® connection terminal, screwless Compact plus Transparent | Orange
- 25 x 2-wire lamp clamp, screwless White



775 PCS




WIRE END FERRULES, INSULATED, ASSORTMENT


Art No. 5964055701

Contents:

- 100 x Wire end ferrule 0.5 mm², 8 mm / 0.75 mm², 8 mm / 1 mm², 8 mm
- 50 x Wire end ferrule 1.5 mm², 8 mm
- 25 x Wire end ferrule 6 mm², 12 mm / 10 mm², 12 mm / 16 mm², 12 mm
- 50 x Wire end ferrule with plastic sleeve 2.5 mm², 8.0 mm / 4 mm², 10.0 mm



525 PCS



INSULATED CABLE CONNECTOR ASSORTMENT


Art No. 5964055800

Contents:

- 20 x Branch connector non-detachable 1-2.5 mm²; Blue
- 25 x Crimp cable lug, ring connector 0.5-1 mm²; Red / 1.5-2.5 mm²; Blue / 1.5-2.5 mm²; Blue / 1.5-2.5 mm²; Blue / 4-6 mm²; Yellow
- 50 x Crimp cable lug, push connector 0.5-1 mm²; Red
- 100 x Crimp cable lug, push connector 1.5-2.5 mm²; Blue
- 50 x Crimp cable lug, push connector 4-6 mm²; Yellow
- 25 x Crimp cable lug, butt connector 0.5-1 mm²; Red / 1.5-2.5 mm²; Blue
- 25 x Crimp cable lug, push connector including blade connector 1.5-2.5 mm²; Blue
- 25 x Crimp cable lug, blade connector 0.5-1 mm²; Red / 1.5-2.5 mm²; Blue
- 15 x Crimp cable lug, round connector 0.5-1 mm²; Red / 1.5-2.5 mm²; Blue
- 15 x Crimp cable lug, blade connector, fully insulated 0.5-1 mm²; Red / 1.5-2.5 mm²; Blue



530 PCS



SMALL ABRASIVES ASSORTMENT

Art No. 5964057800


- For machining weld seams, removing lacquers and paints, deburring edges and derusting – especially in hard-to-reach places.

Content:

- 2 x Mini-Disc 50 mm; 3M Roloc system; 40 /60 /80
- 2 x Segmented Grinding Disc Flexi-Disc 50 mm; 3M Roloc system; 40 /60 /80
- 2 x Small abrasive mini fibre disc 50 mm; Compatible with 3M Roloc system; 36/40/60
- 1 x Holder Washer diameter 50 mm; Length 65 mm
- 1 x Bristle disc 50 mm; 3M Roloc system; 50
- 2 x Small abrasives Mini fleece disc 50 mm; Compatible with 3M Roloc system; 100/ coarse /180/medium /280/fine
- 1 x Small Abrasives Mini Compact Fleece Disc 50 mm; Compatible with 3M Roloc system; 400-600
- 2 x Mini Nylon Fleece Disc 50 mm
- 1 x Mini Polishing Disc 50 mm
- 1 x Pneumatic hand-held sander DSW 15



32 PCS



PIAS STANDARD BLIND RIVET, ROUND PAN HEAD ASSORTMENT

Art No. 5964093600

Contents:

- 1 x Hand-held rivet pliers 2.4-4 mm
- 150 x Blind rivet, flat head 4.0 x 10.0 mm / 4.0 x 12.0 mm
- 200 x Blind rivet, flat head 4.0 x 6.0 mm / 4.0 x 8.0 mm

701 PCS

RIVET NUTS, ROUND PAN HEAD, ASSORTMENT

Art No. 5964094800

Contents:

- 1 x Rivet nut pliers
- 1 x Thread mandrel M3/M4/M5/M6/M8
- 100 x Rivet nut with flat head and knurled shank M3; 7.0 mm / M6; 12 mm / M8; 15 mm / M4; 9.0 mm / M5; 10.0 mm

506 PCS

THREAD CUTTING TOOL SET HSS M3-M12

Art No. 5964065200

Contents:

- Full assortment for the production of standard metric ISO threads of M3-M12 in steel up to 850 N/mm² strength, as well as in cast iron.

44 PCS

HSS BI-METAL CYLINDER SAW ASSORTMENT

Art No. 5964063200

Contents:

- 1 x Arbor A2 32 - 200 mm
- 1 x Adapter A4 14 - 30 mm
- 1 x Slinger spring A7
- 1 x Cylinder saw HSS bi-metal 19 mm / 22 mm / 25 mm / 32 mm / 35 mm / 38 mm / 44 mm / 51 mm / 57 mm / 64 mm / 68 mm / 76 mm

16 PCS

HSSCO8 BI-METAL LONG-LIFE & SPEED CYLINDER SAWS ASSORTMENT

Art No. 5964063201

Contents:

- 1 x Quick-change adapter for bi-metal cylinder saws 14 - 200 mm
- 9 x Adapter A2 for bi-metal cylinder saw
- 1 x Combination adapter A4/A2 for cylinder saw
- 3 x Adapter A4 for bi-metal cylinder saw
- 1 x Cylinder saw, HSS bi-metal Longlife & Speed HSCo8 19 mm / 22 mm / 25 mm / 32 mm / 35 mm / 38 mm / 44 mm / 51 mm / 57 mm / 64 mm / 68 mm / 76 mm

26 PCS

TIME-SERT® THREAD REPAIR ASSORTMENT


Art No. 5964096171

Contents:

- 70-piece assortment for perfect thread repair and reinforcement in steel, light metals, non-ferrous base metals, cast metals and hard plastics
- Ideal for repairing metric standard threads M5/M6/M8/M10/M12
- Bushings and tools with 2 bushing lengths each are included.



70 PCS



GREASE NIPPLE ASSORTMENT


Art No. 5964098600

Contents:

- 50 x Conical nipple, shape A M6 x 14.0 mm/M8 x 16.0 mm/ M10 x 16.0 mm
- 50 x Conical drive-in nipple shape A 6 mm; 14.0 mm/8 mm; 15.0 mm/ 10 mm; 15.0 mm
- 50 x 45° conical nipple, shape B M6 x 20.0 mm/M8 x 20.0 mm/M10 x 20.0 mm
- 50 x 90° conical nipple M6 x 18.0 mm/ M8 x 18.0 mm/M10 x 18.0 mm



600 PCS



TWIST DRILL BIT ASSORTMENT HSS DIN 338 TYPE RN 130°


Art No. 5964624020

Contents:

- 19 x 1 drill bit each 1.0 - 10mm (0.5mm intervals)1
- 25 x 1 drill bit each 1.0 - 13.0mm (0.5mm intervals)
- 155 x 10 each dia 1.0 - 6.0mm (5 each dia.) , 6.5 - 10.5mm (0.5mm intervals)



155 PCS



BLIND RIVET ROUND PAN HEAD ASSORTMENT


Art No. 5964091501

Contents:

- 100 x Blind rivet, flat head 3.2x11.0
- 100 x Blind rivet, flat head 4.0x10.0
- 100 x Blind rivet, flat head 4.0x13.0
- 100 x Blind rivet, flat head 4.8x15.0
- 75 x Blind rivet, large flat head 4.8x10.0
- 50 x Blind rivet, large flat head 4.8x17.0
- 100 x Blind rivet, flat head 4.0x16.0
- 100 x Blind rivet, flat head 4.8x16.0



725 PCS



RIVET NUTS WITH SMALL COUNTERSUNK HEAD ASSORTMENT


Art No. 5964091700

Contents:

- 1 x Rivet nut pliers
- 1 x Thread mandrel M3 / M4/ M5/ M6/ M8
- 100 x Rivet nut, small countersunk head M3/ M4/M5/M6/M8



506 PCS



PLASTIC BLIND RIVETS ASSORTMENT


Art No. 5964050001

Contents:

- 25 x plastic blind rivets (1.5-4.5) - 3.9 x 15.6 mm/ (1.5-4.5) - 4.9 x 15.8 mm/ (3.0-5.0) - 4.9 x 17.2 mm/ (2.8-5.0) - 5.8 x 19.0 mm/ (4.0-10.0) - 6.3 x 25.2 mm/ (2.5-5.0) - 6.6 x 17.3 mm
- 1 x hand rivet tool



151 PCS



BUY ANY 3 ASSORTMENTS & GET A FREE SYSTEM STACKING CABINET

Ask your sales rep for more info


ORSY SYSTEM CASE 4.4.1

Art No. 5581040000



ORSY SYSTEM CASE 4.4.2

Art No. 5581040001



ORSY SYSTEM CASE 8.4.1

Art No. 5581040002



ORSY SYSTEM CASE 8.4.2

Art No. 5581040003



HIGH-TEMPERATURE JOINT GREASE, 90g

Art No. 0892820

- Lithium complex-soap, mineral-oil-based lubricating grease with additives
- Oxidation-resistant
- Good wear protection
- Good load bearing capacity
- Suitable at low sliding speed
- Suitable for oscillatory applications
- Acid-, resin-, silicone- and AOX-free



MAGAZINE SCREWDRIVER PRECISION ENGINEERING - 75 YEARS

Art No. 061348075

- Double bit, slot, 0.3 x 1.5 mm | 0.4 x 2 mm
- Double bit, slot, 0.4 x 2.5 mm | 0.6 x 3 mm
- Double bit, PH, PH000 | PH00
- Double bit, PH, PH1 | PH2
- Double bit, TX/PH, PH0 | TX5
- Double bit, TX, TX3 | TX4
- Double bit, TX with hole, TX6 | TX8
- Double bit, TX with hole, TX10 | TX15
- Double bit, hexagon socket, HEX 1.5 mm | HEX 2 mm
- Double bit, hexagon socket, HEX 2.5 mm | HEX 3 mm
- Double bit, claw/triangular,
- Double bit, pentalobe, P2 | P5




INCLUDES 12 PRECISION ENGINEERING DOUBLE BITS, 4 MM



WATER PUMP PLIERS DIN ISO 8976

- Min/Max Grip Range: 10 - 46 mm.
- Self-clamping water pump pliers with push button adjustment
- Inductively hardened, polished teeth
- Pinch guard prevents crushing injuries
- Rapid and precise, one-handed fine adjustment directly on the workpiece
- No unintentional adjustment
- Self-clamping on pipes and nuts


Art. No.	Length (mm)
071502 23	250
071502 33	180
071502 331	300



PLIER WRENCH

- Pliers and wrench in one tool
- Baking: parallel, smooth and chromium-plated
- No damage to workpiece thanks to zero-backlash surface pressure
- Joint: box joint
- Force transfer: 10x
- High clamping force
- The stroke between the gripping surfaces allows rapid tightening and loosening of bolted connections using the ratchet principle

Art. No.	Length (mm)
071502 50	270
071502 51	180



POCKET TAPE MEASURE 2K PT18 WITH MAGNET

- High-quality pocket tape measure with shock-proof 2-component plastic housing, double-sided painted tape and magnetic end hook.
- Width of band: 25 mm
- Material of the housing: Plastic
- Accuracy class: II
- Maximum extension before the tape bends (vertical): 3.6 m

Art. No.	Max. length measuring range
071465 035	5 M
071465 038	8 M



COATING THICKNESS GAUGE COMBI

Art No. 071553 790

Fully electronic coating thickness measuring instrument for determining coatings (e.g. paintwork, corrosion protection coating thicknesses)

- Display: LCD
- Measuring accuracy in %: 3 %
- Error of measurement for length (+/-): +/- 2 μm
- Min./max. temperature conditions: 0 to 50 $^{\circ}\text{C}$
- Min. temperature conditions: 0 $^{\circ}\text{C}$
- Max. temperature conditions: 50 $^{\circ}\text{C}$
- Length: 100 mm
- Width: 60 mm

WORKS ON STEEL & ALUMINIUM



DIGITAL MULTIMETER PROFESSIONAL

Art No. 071558 550

Versatile TRMS multimeter, provides the most important functions for daily use in skilled trades, business and industry. For maintenance, installation, service. Robust due to shock-proof cover.

- Measurement of voltage: AC, DC
- Measurement of current: AC, DC, from as little as 10 μA
- Measurement of resistance, capacitance, temperature
- Audible continuity testing, diode test
- Voltage measurement with low impedance (VLOWZ = 500 kOhm), adjustable
- Non-contact voltage indicator (NCV): Displayed in red for hazardous voltage
- Built-in LED for simplified working in dark environments (illuminates the measuring point)
- Resolution of 6000 digits for high accuracy
- Fuses are very easy to change
- Adjustable folding support enables installation at different angles of inclination
- Holder for test tips with 19 mm spacing simplifies measurement at sockets



CORDLESS IMPACT SCREWDRIVER ASS 18-1/4 INCH COMPACT M-CUBE®

master


Art No. 5701415000

- Light and compact cordless impact screwdriver with 1/4 inch bit mount (E 6.3)
- No recoil or torque effect on the wrist
- The integrated quick-change holder for 1/4 inch E 6.3 bits enables a fast and tool-free bit change

Brushless motor with overload protection is low-maintenance, long-lasting and powerful



Optimum illumination of the working area thanks to triple LED on the gear head



3 speed/torque levels, & 3 other modes that can be set for the correct screwing task



Compact & lightweight design with rubberised handle

CONNECTOR DIN 7428 E 6.3 (1/4 INCH)



Art No. 0614176780



Art No. 0614176726



Art No. 0614176727



CHARGER ALG 18 V M-CUBE®

Art No. 5705180000



BATTERY LI-ION 18 V BASIC M-CUBE®

Art No. 5704180000

WHOLE PACKAGE DEAL

Art No. 0988013238

ADD ON



MACHINE BAG WITH PLASTIC BOTTOM

Art No. 0715930251

HIGH-END POWER LED POCKET TORCH

- Reflector lens technology
- Hard-gold-plated contacts
- IP54 protection class
- Batteries not included

WX1

Art No. 0827806501



1 x AAA battery required

25LM WITH 25 METRE LIGHT RANGE

WX3

Art No. 0827806503



1 x AA battery required

120 LM WITH 110 METRE LIGHT RANGE

WX6

Art No. 0827806506



4 x AA battery required

410 LM WITH 220 METRE LIGHT RANGE

LED WORK LAMP MINI, 33W 2800 LM

Art No. 0981180021

- Soft, pleasant and low-shadow light for effortless work
- LED panel with highly efficient SMD LEDs (> 90 lm/W)
- Impact-resistant and unbreakable 2 component housing
- Cable can be wound around the housing
- Lamp does not need to be replaced
- Low power consumption
- No warm-up or pre-heating time
- Made in Germany



LED WORK LAMP 360°, 30W 3400 LM

Art No. 0981180950

- Soft, pleasant and low-shadow light for effortless work
- LED panel with highly efficient SMD LEDs (≥ 110 lm/W)
- Shock and break-resistant housing
- Foldable holding/mounting bracket made from rustproof stainless steel
- Incl. pressure equalisation valve
- Device for screw mounting on the wall
- No need to change the bulb
- Low power consumption
- No warm-up and pre-heating time
- Made in Germany



LITHIUM BATTERY

- Can be used in virtually any device requiring a long operating period or high current drain (high current applications).
- Can be operated from -40°C to +60°C at full efficiency
- Extremely leak-proof
- 30% lighter than standard alkaline batteries
- Minimum self-discharge (excellent shelf life of over 10 years)
- Very high current output



Art. No.	Rechargeable battery/ battery designation	Nominal voltage	Rechargeable battery/ battery capacity
0827000010	Micro AAA; L92; FR03	1.5 V/DC	-
0827000020	Mignon AA; L91; FR6	1.5 V/DC	-
0827000030	9 V block	9 V/DC	9 Ah

BATTERY HIGH POWER

- Powerful - Highly recommended for devices with a high current requirement
- Cost-saving - Longer operating times and constant energy output at highest level
- Good shelf life - Very low self-discharge with shelf life of 5 years



Art. No.	Rechargeable battery/ battery designation	Nominal voltage	Type of battery
0827111	Micro AAA; LR03; AM4	1.5 V/DC	Alkali
0827112	Mignon AA; LR6; AM3	1.5 V/DC	Alkali
0827115	9 V block; E-block; 6LR61; 6AM6	9 V/DC	Alkali

BATTERY BOX

Art No. **0827210**

- Storage system with charge status indicator protects against unwanted discharge
- Space for up to eight Micro/Mignon rechargeable and disposable batteries



PRE-CHARGED NIMH BATTERY

- Pre-charged battery - Ready to use
- Can be left for long standby periods of more than one year without recharging
- Low level of self-discharge
- Even after 1 year of no load there is a capacity of approx. 85% of the nominal capacity available
- For universal use
- Suitable for use in devices with high and low power requirements (e. g. digital camera or wall clock)
- Not affected by weather conditions
- Can be recharged up to 1000 times
- Environmentally-friendly



Art. No.	Rechargeable battery/ battery designation	Nominal voltage	Rechargeable battery capacity
0827311	Micro AAA; R03; UM4	1.2 V/DC	800 mAh
0827312	Mignon AA; R6; UM3	1.2 V/DC	2400 mAh

MULTIFUNCTIONAL CHARGER PRO 5

Art No. 08274005

This quick charger with up to 1,800 mA charging current is the perfect combination of charger and test station.

For all common USB devices such as smartphones, mobiles, MP3 players

- USB charging function at 5V/1,000 mA

Smart and safe

- Track the charging status of each battery (individual slot monitoring)
- Protects the batteries from multiple overcharging with battery-care function
- Automatically switches to trickle charging

Test function

- For checking capacity, voltage and charging/discharging current

Revives old batteries

- Care function

**4 CHARGING SLOTS OF AAA,
AA, C & D BATTERIES**



BATTERY CHARGER PRO 4

Art No. 0827405

Enhanced safety for the user

- Battery defect detection
- Alkaline detection
- Inverse-polarity protection
- Multiple overload protection
- Suitable for use with conventional batteries
- Trickle charging

Clear LC display

- Graphic display
- Intuitive operation

USB output

- Any devices that can be charged via USB are compatible – e.g. PDAs, MP3 players, portable games consoles, navigation devices and mobile phones.

Suitable for use on the go and anywhere in the world

- Long-range input 100-240 V/AC
- Includes 12-V/DC vehicle mains plug



INCLUDES A 4 X PRE-CHARGED NIMH BATTERIES (AAA), 4 X PRE-CHARGED NIMH BATTERIES (AA)

DUST-PROTECTED ASSORTMENTS


1/2 INCH SOCKET WRENCH ASSORTMENT

Art No. 0965012240



1/4 INCH SOCKET WRENCH ASSORTMENT

Art No. 0965014340



DUST-PROOF RATCHET HEAD

1. Double sealing for better protection against dirt
2. Square drive: rugged and hardwearing.
 - Maintenance-free – permanent lubrication of the mechanism is guaranteed


3/8 INCH SOCKET WRENCH ASSORTMENT

Art No. 0965038190



1/4 INCH & 1/2 INCH SOCKET WRENCH ASSORTMENT

Art No. 0965090590



TECHNO S3 FLEXITEC® SAFETY SHOES

- Innovative and flexible safety shoes with Boa quick-action closure technology. Ultimate comfort with every step.
- Colour: Anthracite, Grey
- Material of shoes upper: Full-grain cowhide leather with textile insert
- Safety category: S3
- Standards: ISO 20345, SRC
- ISO: 20345
- Other standard: SRC
- Type description: Low-cut shoe
- Foot width: 10.5 (standard width safety shoes)

Size	Art. No.
40	M018054040
41	M018054041
42	M018054042
43	M018054043
44	M018054044



KNEE PADS FOR KNEE POCKETS

Art No. M032004999

- Very light and durable material
- Maximum cushioning comfort
- Dimensions: 250 x 150 x 20 mm
- Developed in accordance with DIN EN ISO 14404: Type 2



**MAXIMUM COMFORT DURING ALL KNEELING TASKS.
LONG-LIFE, HIGH-QUALITY MATERIAL ENSURES DURABILITY**

STRETCH X S3 SAFETY SHOE

- Flexible and innovative safety shoes with comfortable stretch inserts. Ideal for activities that require frequent kneeling.
- Breathable suede, fabric inserts
- Mesh inner lining, pull-on strap made from high-quality microfibre
- Fibreglass protective toe cap, fabric anti-perforation protection
- Non-slip SRC PU outsole, comfort width 11 (wide fit)
- DGUV 112-191 (BGR 191), flexible thanks to CORDURA® (extremely abrasion-resistant) stretch inserts, non-metal
- Approx. 570 g per shoe in size 42

Size	Art. No.
40	M418099040
41	M418099041
42	M418099042
43	M418099043
44	M418099044



FORNAX SAFETY BOOTS S3

- Robust boots made of breathable and water-repellent full-grain leather, with lace cover.
- The ideal boot for welding operations.
- Full-grain leather, lace cover
- Fabric inner lining
- Plastic protective toe caps, fabric anti-perforation protection
- Non-slip rubber outsole SRC HRO, comfort width 11
- Quick snap-in closure for quick removal in an emergency, made in the EU
- Approx. 780 g per shoe in size 42

Size	Art. No.
38	M422178038
39	M422178039
40	M422178040
41	M422178041
42	M422178042
43	M422178043
44	M422178044
45	M422178045



WÜRTH FANSHOP FLEECE JACKET ONE BLACK

- Equipped with antibacterial technology as well as a natural silver salt bad odors are reliably neutralized.
- Ensures a fresh body feeling and also prevents the growth of bacteria when sweating.
- The soft and at the same time comfortable fleece jacket is made of high-quality stretch fabric with 100% polyester and ensures excellent wearing comfort for every activity.



Size	Art. No.
S	M456258000
M	M456258001
L	M456258002
XL	M456258003

CETUS OVERALL

- Non-scratch clothes with buttons and zips made from special plastic that will not be picked up by metal detectors
- 5 outer pockets, 2 pen pockets, 2 breast pockets, ruler pocket
- Ergonomic cut at the knee, stretch insert at the waist, knee pockets
- ID holder clip, label to identify the employee
- Suitable for industrial laundry, certified in accordance with DIN EN 14404, STANDARD 100 by OEKO-TEX®



Size	Art. No.
S	M405128000
M	M405128001
L	M405128002
XL	M405128003



CETUS TROUSERS

- The trousers provide resistance and maximum comfort. Buttons and zips are made from special plastic, which cannot be detected by metal detectors.
- Scratch-free clothing with buttons and zips made from plastic
- 5 outer, 2 pen pockets, ruler pocket
- Ergonomic cut at the knee, stretch insert at the waist, knee pockets
- ID holder clip
- Suitable for industrial laundry, certified in accordance with DIN EN 14404, STANDARD 100 by OEKO-TEX®



Size	Art. No.
46	M403403423
48	M403403425
50	M403403427
52	M403403429

CETUS SHORTS

- The shorts consist of a mixed cotton/polyester fabric that makes for the ideal combination of comfort and durability.
- Non-scratch clothes with buttons and zips made from special plastic that will not be picked up by metal detectors
- 5 outer, 2 pen pockets, ruler pocket
- Elasticated insert at waist
- ID holder clip
- Suitable for industrial laundry, STANDARD 100 by OEKO-TEX®



Size	Art. No.
46	M413134423
48	M413134425
50	M413134427
52	M413134429

X-FINITY MULTI-FUNCTION HEADWEAR

Art No. **M374055999**

- Soft, elastic material
- Can be used as a cap, headscarf, scarf, balaclava and sun protector
- Suitable for all activities
- Dimensions 50 x 25 cm
- Material: 100% polyester



MECHANIC'S GLOVE CUT PLUS




BREATHABLE POLYESTER FABRIC MATERIAL WITH CUT RESISTANCE

Size	Art. No.
8	0899401248
9	0899401249
10	0899401250
11	0899401251

DISPOSABLE NITRILE GRIP GLOVE, 50 PCS

- Extremely tear-resistant
- Powder-free and latex free
- Food-safe
- Silicone-free manufacturing process
- Orange colour increases visibility
- In a practical disposable dispenser



Unique, diamond texture for optimal grip

Size	Art. No.
M	0899470121
L	0899470122

E-SHOP PROMOTION

Only valid on the Wuerth Online Shop

FREE GIFTS FOR ANY PURCHASE OF PRODUCTS FROM OUR E-SHOP WITH A MINIMUM VALUE



MINIMUM PURCHASE RM3000

WÜRTH FANSHOP FLEECE JACKET ONE BLACK

Art No. M45625800X
Available in Size S - XL

VOUCHER CODE: JACKETPROMO



MINIMUM PURCHASE RM2000

CETUS OVERALL

Art No. M40512800X
Available in Size S - XL

VOUCHER CODE: CETUSPROMO

PRODUCT ZOOM #08

Wuerth Malaysia Sdn Bhd
Lot 35, Jalan Delima 1/3,
Subang Hi-Tech Industrial Park,
40000 Shah Alam, Selangor.
T +60 3 58888 420
inquiry@wuerth.com.my
www.wuerth.my

We reserve the right, at any time without prior notice or notice, to make any product changes that we feel necessary. Images may be for illustration purposes only and that might differ in appearance from the delivered goods. All products and items are whilst stock last. We reserve the right for misprints where we assume no liability. The General Terms and Conditions apply.

MECHANIC'S GLOVE PRO Art No. 0899400749



Minimum purchase RM500

WLH 1.5 CORDLESS LED HAND-HELD LAMP Art No. 0827940115



Minimum purchase RM1500

CHIPPING HAMMER MH 5-XES Art No. 07025631



Minimum purchase RM 1800

DRILL AND CHISEL HAMMER BMH 40-BL Art No. 07025541



Minimum purchase RM 3000

Free item for any purchase of products from this promo with a minimum value

DOWNLOAD OUR WÜRTH E-SHOP APP NOW!



wurthmalaysia

AVAILABLE ON BOTH APPLE APP STORE AND GOOGLE PLAY STORE